

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 6 Language: en-US Date of print: 10/11/2019

# 617Sx1 - PU-flexible foam

Article number 617Sx1

Page: 1 of 7

## 1. Product and company identification

#### **Product identifier**

Trade name: 617Sx1 - PU-flexible foam

#### Relevant identified uses of the substance or mixture and uses advised against

General use: Article for orthopedic procedures

Pads:

617S119, 617S67, 617S68

Foam cover:

3R24, 3R48, 3R6, 3S106, 3S107, 3S124, 3S26, 6R6=B, 6R7

#### Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
Street/POB-No.: 3820 W. Great Lakes Drive
Postal Code, city: Salt Lake City, UT 84120

USA

WWW: www.ottobockus.com
Telephone: +1 (801) 956-2400
Telefax: +1 (801) 956-2401

Department responsible for information:

Quality Department,

Telephone: +1 (801) 954-2304 (7 AM - 3 PM, Mountain Time),

Email: USRegulatory@ottobock.com

Additional information: This safety data sheet pertains to the following products:

3R24 - PU-Flexible Foam 3R48 - PU-Flexible Foam 3R6 - PU-Flexible Foam 3S106 - PU-Flexible Foam 3S107 - PU-Flexible Foam 3S124 - PU-Flexible Foam 3S26 - PU-Flexible Foam 6R6=B - PU-Flexible Foam 6R7 - PU-Flexible Foam 617S119 - Dyatec

617S67 - PPT, Perforated

617S68 - PPT

Corporate headquarters: Ottobock SE & Co. KGaA Max-Näder-Straße 15

Duderstadt Germany

#### **Emergency phone number**

CHEMTREC, Telephone: +1 (800) 424-9300



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 6 Language: en-US Date of print: 10/11/2019

# 617Sx1 - PU-flexible foam

Article number 617Sx1

Page: 2 of 7

#### 2. Hazards identification

#### **Emergency overview**

Appearance: Form: solid

Color: varying colors,

flesh-colored:

3R24, 3R48, 3R6, 3S106, 3S107, 3S124, 3S26, 6R6=B, 6R7, 617S67, 617S68

red: 617S119

Odor: weak characteristic

Classification: This substance is classified as not hazardous.

#### Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Hazards not otherwise classified

Processing, e.g. by cutting, sawing or grinding, can produce particles and dust. For risks which have to be observed thereby, see section 7: Handling, section 8: Exposure controls / personal protection and section 11: Toxicology.

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

see section 11: Toxicological information

## 3. Composition / Information on ingredients

Chemical characterization: Article: polyurethane-flexible foam

CAS-Number: 9009-54-5 RTECS-Number: TR7875000

#### 4. First aid measures

In case of inhalation: In case of troubles after inhalation of dust:

Move victim to fresh air. Seek medical attention.

After eye contact: Polyurethane-dust:

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids

apart. Subsequently consult an ophthalmologist.

After swallowing: Swallowing is not regarded as a possible way of exposition.

Polyurethane-dust:

If person is clearly conscious, have them drink two glasses of water to dilute ingested

material.

Seek medical attention.

#### Most important symptoms/effects, acute and delayed

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

#### Information to physician

Treat symptomatically.



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: Date of print: 10/11/2019

3 of 7

Page:

## 5. Fire fighting measures

Flash point/flash point range:

No data available

Auto-ignition temperature: not self-igniting

Suitable extinguishing media:

Water spray jet, Extinguishing powder, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Full water jet

#### Specific hazards arising from the chemical

In case of fire may be liberated:

Nitrous fumes, carbon monoxide and carbon dioxide.

Protective equipment and precautions for firefighters:

Wear self-contained positive pressure breathing apparatus and full firefighting protective

clothing.

NFPA Sprinkler Classification: Extra Hazard Additional information:

#### 6. Accidental release measures

Avoid generation of dust. Do not breathe dust. Personal precautions:

In the case of the formation of dust: Wear appropriate protective equipment.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

Polyurethane-dust: Methods for clean-up:

Take up mechanically, placing in appropriate containers for disposal.

Avoid generation of dust.

## 7. Handling and storage

#### Handling

Advices on safe handling: For mechanical processing:

Avoid respiration of swarf. Wear appropriate protective equipment.

Provide adequate ventilation.

Precautions against fire and explosion:

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

#### Storage

Requirements for storerooms and containers:

Store at room temperature. Keep container dry.



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 6 Language: en-US Date of print: 10/11/2019

4 of 7

Page:

# 617Sx1 - PU-flexible foam

Article number 617Sx1

## 8. Exposure controls / personal protection

#### **Exposure guidelines**

Occupational exposure limit values:

Туре	Limit value
USA: ACGIH: TWA	10 mg/m³ (Dust limit value, inhalable fraction)
USA: ACGIH: TWA	3 mg/m³ (Dust limit value, respirable fraction)
USA: OSHA: TWA	15 mg/m³ (Dust limit value, inhalable fraction)
USA: OSHA: TWA	5 mg/m³ (Dust limit value, respirable fraction)

#### **Engineering controls**

Provide good ventilation and/or an exhaust system in the work area.

See also information in chapter 7, section storage.

#### Personal protection equipment (PPE)

Eye/face protection: For mechanical processing:

Tightly sealed goggles according to OSHA Standard - 29 CFR: 1910.133 or ANSI

Z87.1-2010.

Skin protection: Suitable protective clothing.

For mechanical processing:

Protective gloves according to OSHA Standard - 29 CFR: 1910.138.

Observe glove manufacturer's instructions concerning penetrability and breakthrough time. For mechanical processing: Respiratory protection must be worn whenever the TLV (WEL)

Respiratory protection: For mechanical processing: Respiratory protection must be viewels have been exceeded. Dust mask filter P according to

OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2

General hygiene considerations:

For mechanical processing:

Do not breathe dust.

Wash hands before breaks and after work.
Provide a conveniently located eye rinse station.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance: Form: solid

Color: varying colors,

flesh-colored:

3R24, 3R48, 3R6, 3S106, 3S107, 3S124, 3S26, 6R6=B, 6R7, 617S67,

617S68 red: 617S119

Odor: weak characteristic
Odor threshold: No data available

pH value: No data available



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: Date of print: 10/11/2019

Page: 5 of 7

Melting point/freezing point: No data available No data available Initial boiling point and boiling range: Flash point/flash point range: No data available No data available Evaporation rate: No data available Flammability: No data available Explosion limits: Vapor pressure: No data available Vapor density: No data available Density: No data available

at 68 °F (20 °C): insoluble Water solubility:

Partition coefficient: n-octanol/water: No data available Auto-ignition temperature: not self-igniting No data available Thermal decomposition:

Explosive properties: Product is not explosive.

## 10. Stability and reactivity

No data available Reactivity:

Chemical stability: Product is stable under normal storage conditions.

Possibility of hazardous reactions:

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid: Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

Incompatible materials: No data available

Hazardous decomposition products:

In case of fire may be liberated:

Nitrous fumes, carbon monoxide and carbon dioxide.

Not readily flammable according to DIN 75200:

3R24, 3R48, 3R6, 3S106, 3S107, 3S124, 3S26, 6R6=B, 6R7

Thermal decomposition: No data available

## 11. Toxicological information

#### Toxicological tests

Acute toxicity: LD50 Rat, oral: > 5000 mg/kg

# ottobock. 617Sx1 - PU-flexible foam

#### SAFETY DATA SHEET

according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: Language: Date of print: 10/11/2019

Article number 617Sx1

Page: 6 of 7

Toxicological effects: Acute toxicity (oral): Lack of data.

> Acute toxicity (dermal): Lack of data. Acute toxicity (inhalative): Lack of data. Skin corrosion/irritation: Lack of data.

Serious eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data. Reproductive toxicity: Lack of data. Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

In case of inhalation: Polyurethane-dust: May cause irritations.

After swallowing: Polyurethane-dust: After intake of large amounts: nausea, vomiting.

After eye contact: Polyurethane-dust: May cause irritations.

**Symptoms** 

Handling and/or processing of this material may generate a dust which can cause

mechanical irritation of the eyes, skin, nose and throat.

## 12. Ecological information

#### **Ecotoxicity**

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to penetrate into soil, waterbodies or drains.

## 13. Disposal considerations

#### **Product**

Recommendation: Incinerate according to applicable local, state and federal regulations.

#### Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation.



according to 29 CFR 1910.1200 and ANSI standard Z400.1-2010

Revision date: 3/22/2018 Version: 6 Language: en-US Date of print: 10/11/2019

# 617Sx1 - PU-flexible foam

Article number 617Sx1

Page: 7 of 7

### 14. Transport information

#### **USA: Department of Transportation (DOT)**

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant:

Air transport (IATA)

Proper shipping name: Not restricted

#### **Further information**

No dangerous good in sense of these transport regulations.

## 15. Regulatory information

#### National regulations - U.S. Federal Regulations

TSCA Inventory: not listed

Carcinogen Status:
IARC Rating: Group 3
OSHA Carcinogen: not listed
NTP Rating: not listed

#### National regulations - Great Britain

Hazchem-Code: -

## 16. Other information

Hazard rating systems: NFPA Hazard Rating:



Health: 0 (Minimal)
Fire: 1 (Slight)
Reactivity: 0 (Minimal)

HMIS Version III Rating: Health: 0 (Minimal) Flammability: 1 (Slight) Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

Reason of change: Changes in section 1.3: Corporate headquarters

Date of first version: 9/24/2008

Department issuing data sheet

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

FLAMMABILITY 1
PHYSICAL HAZARD 0
X