

Coding Options¹

7E9 Hip Joint

Effective Date: January 1st, 2018

BASE CODE OPTIONS (select one, not all inclusive)

L5331	Hip disarticulation, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot
L5341	Hemipelvectomy, Canadian type, molded socket, endoskeletal system, hip joint, single axis knee, Sach foot

7E9 HIP JOINT

L5999	Ottobock 7E9 Hip Joint, Monocentric, Hydraulic Swing and Stance Phase Control, Independently and Individually Adjustable Flexion and Extension Resistance.
-------	--

KNEE OPTIONS (select one)

C-Leg

L5856	Microprocessor control feature, swing and stance phase, includes sensors (K3 or above for Medicare)
L5828	Fluid swing and stance phase control (K3 or above for Medicare)
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability

Genium - The following codes are recommended for all payers, excluding Medicare & VA. See "Genium Coding by Payer Type" for further instructions.

L5999 ²	Autoadaptive microprocessor controlled swing and stance phase, with simulated physiologic rule sets; predicted by multi-modal proprioceptive input.
L5999 ²	Loading flexed knee to traverse obstacles and ascend stairs.
L5999 ²	Dynamic stability control for intuitive standing and all transitional gait
L5999 ²	Inertial Motion Unit Control Feature: for intuitive standing and walking backwards.
L5828	Fluid swing and stance phase control (K3 or above for Medicare)
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability

X3 - Recommended for all payers, excluding Medicare & VA. See "X3 Coding Instructions" for further information.

L5999 ²	3B5-X3 Adaptive Microprocessor-Controlled Swing and Stance Phase prosthetic knee, with Simulated-Physiologic Rule Sets, predicted by Multi-Modal Proprioceptive Input. Features include: Optimized Physiologic Gait, Dynamic Stability Control for Intuitive Standing and Transitional Gait, Loading Flexed Knee to Traverse Obstacles and Stairs; Corrosion Resist with IPX7 Waterproof Rating; Protective Cover, Running Mode and Mute Mode.
L5828	Fluid swing and stance phase control (K3 or above for Medicare)
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability

3R60

L5814	Polycentric, hydraulic swing phase control, mechanical stance phase lock (K3 or above for Medicare)
L5845	Stance flexion feature, adjustable
L5848	Fluid stance extension, dampening feature, with or without adjustability

Coding Options¹

7E9 Hip Joint

Effective Date: January 1st, 2018

3R106

L5840 4-Bar Linkage or multiaxial, pneumatic swing phase control (K3 or above for Medicare)

L5850 Knee extension assist

SOCKET ADDITIONS (if used)

L5626 Test [check] socket, hip disarticulation

L5628 Test [check] socket, hemipelvectomy

L5643 Addition to lower extremity, hip disarticulation, flexible inner socket, external frame

L5920 Above knee or hip disarticulation, alignable system

L5960 Addition, hip disarticulation, ultra-light material (titanium, carbon fiber, or equal)

L5702 Replacement socket, hip disarticulation, including hip joint, molded to patient model

FOOT OPTIONS (select one)

1C30 L5981 Flex-walk system (K3 or above for Medicare)

Trias L5986 Multiaxial rotation unit

1C60 L5980 Flex-foot system (K3 or above for Medicare)

Triton L5986 Multiaxial rotation unit

1C61 L5987 Shank foot system with vertical loading pylon (K3 or above for Medicare)

Triton Vertical Shock L5986 Multiaxial Rotation unit

1D35 L5979 Multiaxial ankle, dynamic response foot (K3 or above for Medicare)

Dynamic Motion

1E56 L5981 Flex-walk system (K3 or above for Medicare)

Axtion

PROTECTIVE COVERING (if used)

3S27 L5707¹ Custom shaped protective cover, hip disarticulation [Not covered by Medicare for initial prosthesis (L5505) or above knee preparatory.]

99B116 L5964¹ Above knee, flexible, protective outer surface covering [Not covered by Medicare for initial prosthesis (L5505) or above knee preparatory. Other Medicare restrictions may apply.]

4X160 L5999¹ Custom shaped protective cover, above knee [Not covered by Medicare for initial prosthesis (L5505) or above knee preparatory.]

C-Leg Protector

ROTATION ADAPTOR (if used)

4R57, 4R57=ST L5984 Axial rotation unit, with or without adjustability (K2 or above for Medicare)

Rotation Adaptor

4R40 L5984 Axial rotation unit, with or without adjustability (K2 or above for Medicare)

Torsion Adapter

Coding Options¹

7E9 Hip Joint

Effective Date: January 1st, 2018

¹ The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.

² At this time, it is not recommended to bill miscellaneous code L5999 to Medicare for microprocessor knees.