



Crossover Knee Brace

Sizes: xs, s, m, l, xl, xxl



Our Crossover brace features three designs to accommodate a wide variety of patients. Our classic pull-on design offers the most uniform fit. The front closure wraparound design allows for ease of application without removing shoes and is ideal for patients with limited flexibility and reach. The hybrid Crossover FT features a pull-on calf and front closure thigh, allowing for an adjustable fit for patients with atypical legs.

Common Examples of Use

- Mild and moderate ACL, PCL, MCL, and LCL sprains
- Meniscal instabilities
- Patellar instabilities
- Mild osteoarthritis

Product Features

- Removable and adjustable patellar buttress can be positioned and trimmed for multiple applications
- Pull tabs ease application
- Mesh popliteal for patient comfort

Category: Adjustable ROM.

Instructions for Use

[Instructions for Use](#)

Part Numbers

Part Numbers

Part #	Description
-	Crossover Pull-On
AG010561	STD, TriTech, Custom
AG010558	STD, 3D NEO, Custom
AG010567	Short, TriTech, Custom
AG010564	Short, 3D NEO, Custom
RK4250XX	STD, TriTech, XS-XXL
RK3250XX	STD, 3D NEO, XS-XXL
RK4150XX	Short, TriTech, XS-XXL
RK3150XX	Short, 3D NEO, XS-XXL
-	Crossover Front Thigh
AG010563	STD, TriTech, Custom
AG010560	STD, 3D Neoprene, Custom
AG010569	Short, TriTech, Custom
AG010566	Short, 3D Neoprene, Custom
RK4230XX	STD, TriTech, XS-XXL
RK3230XX	STD, 3D Neoprene, XS-XXL
RK4130XX	Short, TriTech, XS-XXL
RK3130XX	Short, 3D Neoprene, XS-XXL
-	Crossover Front Closure
AG010562	STD, TriTech, Custom
AG010559	STD, 3D Neoprene, Custom
AG010568	Short, TriTech, Custom
AG010565	Short, 3D Neoprene, Custom
AG010571	STD, ROM, TriTech, Custom
AG010570	STD, ROM, 3D Neoprene, Custom
RK4240XX	STD, TriTech, XS-XXL
RK3240XX	STD, 3D Neoprene, XS-XXL
RK4140XX	Short, TriTech, XS-XXL
RK3140XX	Short, 3D Neoprene, XS-XXL
RK4200XX	STD, ROM, TriTech, XS-XXL
RK3200XX	Standard, ROM, 3D NEO, XS-XXL

Product Sizing Chart

Crossover				
Size #	Size	Thigh Circumference	Calf Circumference	
XX = 01	XS	13.5" – 16" (34 – 41 cm)	12.5" – 14" (32 – 36 cm)	
XX = 03	S	16" – 18.75" (41 – 48 cm)	14" – 15.5" (36 – 39 cm)	
XX = 05	M	18.75" – 21.5" (48 – 55 cm)	15.5" – 17" (39 – 43 cm)	
XX = 07	L	21.5" – 24.25" (55 – 62 cm)	17" – 18.5" (43 – 47 cm)	
XX = 09	XL	24.25" – 27" (62 – 69 cm)	18.5" – 20" (47 – 51 cm)	
XX = 11	XXL	27" – 29.5" (69 – 75 cm)	20" – 21" (51 – 53 cm)	
Prefabricated: Measure 6" (15 cm) above mid-patella while standing. Custom: Measure 2" (5 cm), 4" (10 cm), 6" (15 cm) and 8" (20 cm) above and below mid-patella, and at knee center, while standing.				