

## Suggested Coding Options<sup>1</sup>

April 2021 (U.S. only)

Base Code Options (includes Socket, Forearm, Humeral Section, Shoulder Bulkhead, Cables, Batteries, Charger, and Switch/Myoelectric Control)

Transcarpal switch/myo	L6026
Wrist Disarticulation switch/myo	L6920/L6925
Below Elbow switch/myo	L6930/L6935
Elbow Disarticulation switch/myo	L6940/L6945
Above Elbow switch/myo	L6950/L6955
Shoulder Disarticulation switch/myo	L6960/L6965
Interscapular-Thoracic switch/myo	L6970/L6975

### Socket Options (add as appropriate, not all inclusive)

Test Sockets	L6680 (WD/BE), L6682 (ED/AE), L6684 (SD/IT)
Suction Socket	L6686
*Removable Insert (e.g. Thermolyn/Bocklite)	L6691
*Silicone Insert (e.g. Proflex with Silicone)	L6692
Frame Socket	L6687 (WD/BE), L6688 (ED/AE), L6689 (SD), L6690 (IT)
Ultralight Material	L7400 (WD/BE), L7401 (ED/AE), L7402 (SD/IT)
Acrylic	L7403 (WD/BE), L7404 (ED/AE), L7405 (SD/IT)

#### Replacement Socket (molded to patient model, with/without external power)

Replacement Socket

L6883 (BE/WD), L6884 (ED/AE), L6885 (SD/IT)

#### **Pattern Recognition**

13E520 Myo Plus TR compatible hands & accessories are marked with Myo +

\*It is not recommended to bill L7499 to Medicare for the Myo Plus at this time.

\*L7499 Addition to upper extremity external powered myoelectric prostheses; Ottobock 13E520 Myo Plus TR pattern recognition system; Multi-factor, layered processing of the user's amplified natural EMG signal patterns captured by a multiple electrode array to produce patient-specific rule set algorithms, allowing Myo Plus to recognize individual patient muscle signal patterns which are translated to intuitively control several prosthetic hand functions/grip types and/or several prosthetic devices (e.g. prosthetic hand, wrist rotator, wrist flexion/extension) instantaneously. The microprocessor integrates system calibration, signal quality evaluation, filtering, conditioning, processing, recognition of multiple muscle activation patterns, and transmission of complex functional controls.

See the Myo Plus TR Reimbursement Tool Kit at:

https://shop.ottobock.us/Reimbursement-by-Product#upperlimb

<sup>\*</sup>Medicare limits total number of inserts that a patient can have to 2 at any given time (including liners).

<sup>&</sup>lt;sup>1</sup> The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.



## Suggested Coding Options<sup>1</sup>

April 2021 (U.S. only)

**Elbow Options** 

	Options				
	12K100N Dynamic Arm 12K110N Dynamic Arm Plus 12K44 ErgoArm® Hybrid plus 12K50 ErgoArm Electronic Plus		L6693 Forearm Counterbal (use L7180/L7181 MP Control) L6693 Forearm Counterbalance (use L7181 for MP Control) L6693 Forearm Counterbalance L6693 Forearm Counterbalance + L6638 Electric Lock		
Electr	ic Hand and (	Greifer Options			
	Bebionic F				
Myo+	8E70=* 8E72=* 8E71=*	BE70=* Bebionic Hand with Electric QD Wrist L688 BE72=* Bebionic Hand with Flexion Wrist L688		_6880 + L6881 + L6882 + L6629 _6880 + L6881 + L6882 + L6629 + L6621 _6880 + L6881 + L6882	
	DMC Plus				
	8E38=6 8E39=6 8E41=6 8E41=6-F	System Electric Hand DMC plus System Electric Hand DMC plus System Electric Hand DMC plus System Electric Hand DMC plus	with Lamination Ring with Threaded Stud	L7007 + L6882	
	Sensor Ha	Sensor Hand Speed			
Муо+	8E38=8 8E39=8	3=8 SensorHand Speed with QD Wrist		L7007 + L6881 + L6882 + L6629 L7007 + L6881 + L6882	
	VariPlus Speed				
Myo+	8E38=9 8E39=9 8E41=9 8E41=9-F	MyoHand VariPlus Speed w/ QD MyoHand VariPlus Speed w/ Lan MyoHand VariPlus Speed w/ Thr MyoHand Vari Plus Speed w/ My	n. Ring ead Stud	L7007 + L6882 + L6629 L7007 + L6882 L7007 + L6882 L7007 + L6882 + L6621 + L6629	
	Transcarpa	al Hands			
	8E44=6	Transcarpal Hand DMC Plus w/	Lam. Plate	L7007 + L6882	
	8E44=6-F	Transcarpal Hand DMC Plus w/N	MyoFlex QD Wrist	L7007 + L6882 + L6621 + L6629	
Муо+	Greifers				
	8E33=9-1	Sys Electric Greifer DMC VariPlu Wrist	us with Flex/Ext QD	L7009 + L6882 + L6621 + L6629 L7009 + L6882	
	8E34=9-1	Sys Electric Greifer DMC VariPlu ** Use L6882 once if a hand is bi	us with Lam. Ring Illed with the Greifer		
	Pincer (if u	sed, addition to terminal device)	)		
	8Y1	Pincer		L6810 Precision Pinch Device	

<sup>&</sup>lt;sup>1</sup> The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.



# Suggested Coding Options<sup>1</sup>

April 2021 (U.S. only)

Addit	tional Wrist Options	
yo+	10S17 Electric Wrist Rotator	L7259 Electronic Wrist Rotator
•	13E205 MyoRotronic	MyoRotronic Controller is included in the base code.
	10V40 MyoWrist 2 Act	L6621 Flexion/Extension Wrist for external powered device
Quicl	k Disconnect	
	10S1* Lamination Collar + 10S4 Coupling piece (for quick disconnect wrist)	L6629 Quick disconnect lamination collar with coupling
Shou	llder Options	
	12S6 MovoShoulder Swing	L6646 Upper extremity addition, shoulder joint, multi-positional locking, flexion, adjustable abduction friction control, for use wit body powered or external powered system
Harn	ess Options	
	21A35=1 AE Harness, Triple Control, Perlon	L6677 Harness, triple ctrl, simultaneous operation of TD & elbov
	21A35=2 AE Harness, Triple Control, Steel	+ L6655 Standard control cable, extra
	21A47 Active TH Harness	L6672 Harness chest or shoulder, saddle type
	Armloop for 21A47	included in L6672
Addit	tional Switch Options	
	9X14 Harness Pull Switch 9X18 Cable Pull Switch 9X25 Rocker Switch 9X37 Pressure Switch 9X50 & 9X52 Linear Transducer	L6611 External powered, additional switch, any type
Liner	Options	
	*14Y1 Silicone Arm Liner, prefab *14Y5 Silicone Liner w/ CVD coating, prefab	L6694 Socket insert for use with locking mechanism
	14A1 Lock Set	L6698 locking mechanism
	*6Y416 Custom Shape Plus UE Urethane Liner (model made by hand)	For Initial Liner use: L6696 Custom insert, congenital/atypical traumatic or L6697 Custom insert, other than congenital/ atypical traumatic

<sup>&</sup>lt;sup>1</sup> The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.



## Suggested Coding Options<sup>1</sup>

April 2021 (U.S. only)

*6Y417 Custom Shape Plus Urethane UE Replacement Liner (same mold)	For Replacement Liner (same mold) use: L6694 Socket insert for use with locking mechanism or L6695 Socket insert not for use with locking mechanism
*88L1=* Custom Silicone TR Liner	Contact us at 800 328 4058 / reimbursement911@ottobock.com

<sup>\*</sup>Medicare limits total number of inserts that a patient can have to 2 at any given time (including liners).

Donning Sheath			
	OC1560=* Donni	ing Sheath EasyFit Arm	L7600 Prosthetic donning sleeve
Glove	Options		
	8S711=* 8S710=* 8S11N 8S11/12/13/20	Bebionic Silicone Glove Bebionic Black Glove Myoskin Natural Cosmetic Glove	L6890 Glove for terminal device, any material
Repla	cement Electrodes	<b>s</b> (initial electrodes include	d in base code)
Муо+		Electrodes Remote Electrodes Electrode Domes 6 pk. Cable	L7510 Repair of prosthetic device, replace minor parts
Repla	cement Battery/C	harger (initial battery and o	charger included in base code)
Муо+	757B35 MyoEnerg 757B20/21 Energ		L7367 Lithium-ion battery, replacement
	757L35 MyoCharge Integral 757L20 Li-Ion Charger		L7368 Lithium-ion battery charger, replacement

Ottobock's reimbursement team is here to help with your upper extremity coding. Call us at 800 328 4058, or email your request to Reimbursement911@ottobock.com

L7360 Battery 6 volt, each

L7362 Battery charger 6 volt, each

Ottobock Reimbursement P 800 328 4058 F 800 230 3962 professionals.ottobockus.com reimbursement911@ottobock.com

757B15 X-ChangePack

757L14 Pulse Charger

<sup>&</sup>lt;sup>1</sup> The product/device "Supplier" (defined as an O&P practitioner, O&P patient care facility, or DME supplier) assumes full responsibility for accurate billing of Ottobock products. It is the Supplier's responsibility to determine medical necessity; ensure coverage criteria is met; and submit appropriate HCPCS codes, modifiers, and charges for services/products delivered. It is also recommended that Supplier's contact insurance payer(s) for coding and coverage guidance prior to submitting claims. Ottobock Coding Suggestions and Reimbursement Guides are based on reasonable judgment and are not recommended to replace the Supplier's judgment. These recommendations may be subject to revision based on additional information or alpha-numeric system changes.