

TALUX®



The tarsal core and Achilles Strap provide multi-axial function, while the Dual J-Springs enhances forward motion, giving users ideal proportions of balance and agility.

Emulating many of the anatomical features of the human foot, the Talux has been specially designed to provide fluid, natural walking motion in a variety of terrains, for users of low to moderate activity. Talux now comes with a sandal toe for ease of footwear selection.



USER INFORMATION	
Amputation Level:	Transfemoral and Transtibial
Impact Level:	Low to Moderate
Maximum Patient Weight:	147kg (325lbs)



FOOT INFORMATION	
Categories:	1-8
Sizes:	23-30
Weight of Foot: (Size 27)	740g (26.1oz) w/ Pyramid and Foot Cover
Build Height: (Size 27)	182mm (7 3/16") w/ Pyramid and Foot Cover
Heel Height:	10mm (3/8")
Adapter Options:	Tube kit or male pyramid

CATEGORY SELECTION CHART

LOW IMPACT

WEIGHT KG	45-52	53-59	60-68	69-77	78-88	89-100	101-116	117-130	131-147
WEIGHT LBS	97-115	116-130	131-150	151-170	171-194	195-220	221-256	257-287	288-324
23-24	1	1	2	3	4	5	N/A	N/A	N/A
25-26	N/A	N/A	2	3	4	5	6	7	N/A
27-28	N/A	N/A	N/A	3	4	5	6	7	8
29-30	N/A	N/A	N/A	N/A	4	5	6	7	8




CATEGORY SELECTION CHART

MODERATE IMPACT

WEIGHT KG	45-52	53-59	60-68	69-77	78-88	89-100	101-116	117-130	131-147
WEIGHT LBS	97-115	116-130	131-150	151-170	171-194	195-220	221-256	257-287	288-324
23-24	1	2	3	4	5	N/A	N/A	N/A	N/A
25-26	N/A	2	3	4	5	6	7	N/A	N/A
27-28	N/A	N/A	3	4	5	6	7	8	N/A
29-30	N/A	N/A	N/A	4	5	6	7	8	N/A


CLEARANCE



TALUX®

KITS


TALUX MALE PYRAMID OPTION



Includes:

- Foot Module
- Achilles Strap
- Tarsal Core
- Attachment Hardware
- Male Pyramid


TALUX WITHOUT ADAPTER



Includes:


- Foot Module
- Achilles Strap
- Tarsal Core
- Attachment Hardware

TALUX WITH QUICK-ALIGN™ (CHECK FOR AVAILABILITY)



Includes:

- Foot Module
- Achilles Strap
- Tarsal Core
- Attachment Hardware
- Quick-Align™ Adapter




KITS

MALE PYRAMID ADAPTER KITS


PART#	WEIGHT		CAT.
FFC2210003	180g	6.3oz	1-6
FFC2210004	220g	7.8oz	7-8

- Includes:
- Pyramid
 - Bolt Caps
 - Hardware (M8 or M10 bolts)
 - Loctite 410



QUICK-ALIGN™ ADAPTER FOR TALUX
(CHECK FOR AVAILABILITY)

Manually adjustable heel height adapter that provides 8° of flexion, which translates to 30mm heel height range with a size 25 foot. Heel height changes are easily made by the user, with an unlock button to enable adjustments and a lock button to fix the position again.



RETROFIT KIT FOR EXISTING FOOT MODULE, PART#	CAT.	WEIGHT	
QAP12504	1-4	384g	13.5oz
QAP12505	5-6	384g	13.5oz
QAP12506	7-9	384g	13.5oz


- Includes:
- Hardware(M8 and M10 bolts)
 - Plastic bolt cap

KITS

30MM (1 3/16") CARBON FIBER TUBE KIT

PART#	WEIGHT		LENGTH		CAT.
TLX01011	216g	7.6oz	229mm	9"	1-6
TLX01012	275g	9.7oz	229mm	9"	7-8
TLX01013	293g	10.3oz	381mm	15"	1-6
TLX01014	369g	13oz	381mm	15"	7-8


- Includes:
- Carbon Fiber Tube
 - Attachment Hardware (5/16" UNF bolts)
 - Friction Pads
 - Loctite
 - Tube Insert (cat. 7-8)



ACHILLES STRAP KITS

PART#	CAT.	FOOT SIZE
TLX01002	1-6	23-26
TLX01003	1-6	27-28
TLX01004	7-8	23-26
TLX01005	7-8	27-30


- Includes:
- Strap
 - Hanger
 - Pin
 - Bolts



HEEL WEDGE KIT

PART#	DESCRIPTION
TLX01001	Heel Wedge Kit

- Includes:
- 3 Wedges
 - Adhesive




FLEX-FOOT®
Classic Flex-Foot and Multi-Axial

COMPONENTS

TUBE INSERT

PART#	WEIGHT		DIAMETER		CAT.
A-718009	18g	0.6oz	30mm	1 3/16"	7-8

PART#	DESCRIPTION
CM160016	Loctite 410 black



ATTACHMENT BOLTS FOR 30MM (1 3/16") TUBE

PART#	CAT.	SIZE	LENGTH
CM130219	1-6	24 x 5/16"	1 3/4"
CM130213	7-9	24 x 3/8"	1 3/4"

ATTACHMENT BOLTS FOR PYRAMID

PART#	CAT.	SIZE	LENGTH
CM130234	1-6	M8	35mm 1 3/8"
CM130223	7-8	M10	35mm 1 3/8"

COSMETIC FINISHING

FOOT COVER KIT, BEIGE AND BROWN*

PART#

FOOT SIZE (23-30)

FCT0

L/R (LEFT/RIGHT)


- Includes:
- Foot Cover*
 - Attachment Plate
 - Flex Foot Sock

*Please specify when ordering brown covers add "BR" to the part#.

PART#	DESCRIPTION	SIZE
FCX63006	Flex-Foot Sock	22-25
FCX63007	Flex-Foot Sock	26-30



DIAGRAM



	DESCRIPTION
1.	Foot Module
2.	30mm Carbon Fiber Tube Kits
3.	Bolt-On Male Pyramid
4.	Tube Insert
5.	Talux Wedge Kit
6.	Plastic Cap
7.	Quick-Align™ Adapter