




C H I L D ' S P L A Y



Child's  Play



Delaney
Varsity Cheerleader, Soccer Team member

From a miracle baby to an active, energetic athlete and young woman!

Delaney, born premature and without her left foot, could never be stopped. She grew up wearing Seattle Child's Play Feet, and now as a young woman, she has grown into wearing a Trulife adult Seattle Foot. Delaney is now attending a university to study early childhood development and will also be teaching at a cheerleading camp.



Prosthetics

FEET

Seattle Child's Play Energy	4
-----------------------------	---

KNEES

Seattle Child's Play Knee with Manual Lock	6
---	---

AAA ADAPTERS

Child's Play 4-Hole Pyramid Adapter	7
Child's Play 4-Hole Female Adapter	7
Child's Play Double-Ended Adapter	8
Child's Play Energy Foot Pyramid	8
Child's Play Adjustable Height Clamp Adapter	9
Child's Play Clamp Adapter	9
Child's Play Variable Height Adapter	10
Child's Play Seattle Mounting Plate	10

ENDOSKELETAL/EXOSKELETAL

Child's Play Endoskeletal Cosmesis	11
Child's Play Laminating Block	12
Child's Play Foot Spacer	13
Child's Play Ankle Block	14
Child's Play Lamination Core	15
Child's Play Seattle Symes Nut	16

Orthotics 17

Seattle Child's Play Energy



- Pediatric model of the Seattle Energy
- Dynamic toe and cushioned heel response
- M8 foot bolt attachment
- Non-removable, sandal-toe foot shell (size 16-21 cm)
- Maximum weight limit of 65 kg / 144 lb



Note: Foot shell is not removable.

Indications: High impact level, K4, maximum weight of 65 kg / 144 lb*

Selection

Model No.	Description	Size	Weight Limit
SEF132	 Child's Play Energy, Light Foot Shell	13-21 cm	65 kg / 144 lb*
SEF144	 Child's Play Energy, Dark Foot Shell	13-21 cm	65 kg / 144 lb*

*For Keel 6

Replacement Parts

Model No.	Description
SFB546	Foot Bolt Kit M8 x 80 mm

Specifications

Weight Limit	65 kg / 144 lb (Keel 6)
Product Size	13-21 cm
Toe	13-15 cm: Solid Toe 16-21 cm: Sandal Toe
Foot Shell	Light, Dark
Product Weight	150 g / 5 oz (Size 17)
Min. Clearance	
Size 13-15:	4 cm / 1.5 in
Size 16-18:	4.5 cm / 1.8 in
Size 19-21:	4.5 cm / 1.8 in
Heel Rise	
Size 13-15:	6.3 mm / 1/4 in
Size 16-18:	9.5 mm / 3/8 in
Size 19-21:	12.7 mm / 1/2 in
Warranty	
Keel:	2 years
Foot Shell:	1 year
Includes	Foot Bolt Kit M8 x 80 mm (SFB546)
Made in USA	

Keel Selection Instructions

To determine which keel is appropriate for your patient, check the below table for keel availability by foot size. Please note that size 13-15 feet do not have sandal toe foot shells.

Important Note: Choose the next higher keel level if your patient has a long BK limb, regularly carries heavy loads, or is at the upper limit for weight or impact level.

Warning: Choosing a lower strength category than what is suggested based on the above procedure and patient data will void the warranty. If your patient's weight exceeds the limits of the chart please call Trulife Customer Service or your Territory Manager.

Foot Length		13	14	15	16	17	18	19	20	21
Weight Limit	Keel									
< 15 kg < 33 lb	1	√	√	√						
16-25 kg 34-55 lb	2	√	√	√	√	√	√			
26-35 kg 56-77 lb	3	√	√	√	√	√	√	√	√	√
36-45 kg 78-99 lb	4				√	√	√	√	√	√
46-55 kg 100-121 lb	5							√	√	√
56-65 kg 122-144 lb	6							√	√	√



AAAK285
Child's Play Energy
Foot Pyramid
(page 8)

AAAK100
Child's Play
Adjustable Height
Clamp Adapter
(page 9)

AAAK135
Child's Play Variable
Height Adapter
(page 10)

SSK610A
Child's Play Knee
with Manual Lock
(page 6)

Seattle Child's Play Knee with Manual Lock

- Lightweight, 4-bar, polycentric design
- Friction swing control and extension assist
- Adjustable stability control
- Free motion setting available
- Rotatable knee disarticulation adapter available (SSK610A-DIS)



Indications: AK amputation, pediatric amputee, maximum weight of 55 kg / 121 lb

Selection

Model No.	Description	Weight Limit
SSK610A	Child's Play Knee with Manual Lock	55 kg / 121 lb

Replacement Parts

Model No.	Description
SSK610A-KIT	Refurbishment Kit
SSK610A-PYR	Replacement Pyramid
SSK610A-BMP	Replacement Bumper Kit

Specifications

Weight Limit	55 kg / 121 lb
Product Weight	310 g / 11 oz
Overall Height	12 cm / 4.7 in
Distance to Knee Center	3 cm / 1.2 in
Flexion	140°
Warranty	2 years
Includes	Pyramid Adapter

Trulife Complementary Items



AAK285
Child's Play
Energy
Foot Pyramid
(page 8)



AAK221
Child's Play
Double-Ended
Adapter
(page 8)



SSK610A-DIS
Child's Play
Lamination
Bracket



AAK135
Child's Play
Variable
Height Adapter
(page 10)



SEF132, 144
Child's Play
Energy
(page 4)

Child's Play 4-Hole Pyramid Adapter



Selection

Model No.	Description
AAAK210	Child's Play 4-Hole Pyramid Adapter

Specifications

Material	Aluminum
Connection	Male
Product Weight	49 g / 1.7 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Includes	Mounting Screws
Made in USA	

Child's Play 4-Hole Female Adapter



Selection

Model No.	Description
AAAK211	Child's Play 4-Hole Female Adapter

Specifications

Material	Aluminum
Connection	Female
Product Weight	39 g / 1.4 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Includes	Mounting Screws
Made in USA	

Child's Play Double-Ended Adapter



Selection

Model No.	Description
AAAK221	Child's Play Double-Ended Adapter

Specifications

Material	Aluminum
Connection	Female
Height	32 mm / 1.26 in
Product Weight	50 g / 1.8 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	

Child's Play Energy Foot Pyramid



Selection

Model No.	Description
AAAK285	Child's Play Energy Foot Pyramid

Specifications

Material	Aluminum
Connection	Male M8 threaded
No. of Grooves	One (1)
Length	37 mm / 1.45 in (A-P)
Product Weight	33 g / 1.2 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	

Child's Play Adjustable Height Clamp Adapter



Selection

Model No.	Description
AAAK100	Child's Play Adjustable Height Clamp Adapter

Specifications

Material	Aluminum
Connection	Female
Diameter	22 mm (ID)
Product Weight	58 g / 2 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	

Child's Play Clamp Adapter



Selection

Model No.	Description
AAAK225	Child's Play Clamp Adapter

Specifications

Material	Aluminum
Connection	Female
Diameter	22 mm (ID)
Product Weight	40 g / 1.4 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	

Child's Play Variable Height Adapter

Selection

Model No.	Description
AAAK135	Child's Play Variable Height Adapter

Specifications

Material	Aluminum
Connection	Female
Diameter	22 mm
Length	178 mm / 7.0 in
Product Weight	87 g / 3.1 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	



Child's Play Seattle Mounting Plate

Selection

Model No.	Description
AAAKSMP	Child's Play Seattle Mounting Plate

Specifications

Material	Aluminum
Diameter	5.8 cm / 2.3 in (OD)
Center Hole	31.75 mm / 1.25 in
Height	14 mm / 0.55 in
Product Weight	56 g / 2.0 oz
Weight Limit	65 kg / 144 lb
Warranty	2 years
Made in USA	



Child's Play Endoskeletal Cosmesis

- Universal cosmesis shape for temporary or permanent application
- Made of durable urethane for quick, easy finishing
- Easy access for alignment changes
- Please have side and foot size available when ordering



Indications: Transtibial amputations; for use with Child's Play Energy

Selection

Model No.	Description
SEC220	Child's Play Endoskeletal Cosmesis, Light
SEC223	Child's Play Endoskeletal Cosmesis, Dark

Specifications

Product Weight	94 g / 3.3 oz (Size 15)
Calf Circumference	20 cm / 10.2 in
Height	12-30 cm / 4.8-12.1 in (Height depends on foot size)
Fits Foot Size	13-21 cm
Warranty	2 years
Made in USA	

Child's Play Laminating Block

- High strength, rigid polyurethane foam around a nylon core
- 4-hole connection
- Easily shaped during fabrication



Indications: For use with Child's Play Energy

Selection

Model No.	Description	Weight Limit
SLB240	Child's Play Laminating Block	65 kg / 144 lb

Specifications

Diameter (OD)	9.2 cm / 3.6 in
Diameter (Top)	7.1 cm / 2.8 in
Height	3.2 cm / 1.3 in
Product Weight	93 g / 3.2 oz
Warranty	2 years
Made in USA	

Child's Play Foot Spacer

- Provides versatility during setup and fabrication
- Designed of lightweight nylon
- For temporary or permanent use



Indications:

SFS240, 241 – Ideal for use with Child's Play Energy, size 13-15 cm

SFS242, 243 – Ideal for use with Child's Play Energy, size 16-18 cm

SFS244, 245 – Ideal for use with Child's Play Energy, size 19-21 cm

Selection

Model No.	Description	Size	Product Wt	Weight Limit
SFS240	Child's Play Foot Spacer	0.6 cm / 0.25 in	6.0 g / 0.2 oz	31 kg / 69 lb
SFS241	Child's Play Foot Spacer	2.5 cm / 1.0 in	20.0 g / 0.7 oz	31 kg / 69 lb
SFS242	Child's Play Foot Spacer	0.6 cm / 0.25 in	9.0 g / 0.3 oz	41 kg / 89 lb
SFS243	Child's Play Foot Spacer	2.5 cm / 1.0 in	28.0 g / 0.9 oz	41 kg / 89 lb
SFS244	Child's Play Foot Spacer	0.6 cm / 0.25 in	11.0 g / 0.3 oz	65 kg / 144 lb
SFS245	Child's Play Foot Spacer	3.0 cm / 1.2 in	45.0 g / 1.5 oz	65 kg / 144 lb

Specifications

Fits Foot Size	
Size 13-15:	SFS240, 241
Size 16-18:	SFS242, 243
Size 19-21:	SFS244, 245
Warranty	2 years
Made in USA	

Child's Play Energy Ankle Block

- Lightweight, durable ankle block
- High strength, rigid polyurethane foam surrounding a nylon core



Indications:

SAB314 – For use with Child's Play Energy, size 13-15 cm

SAB315 – For use with Child's Play Energy, size 16-18 cm

SAB316 – For use with Child's Play Energy, size 19-21 cm

Selection

Model No.	Description	Weight Limit
SAB314	Child's Play Energy Ankle Block, Foot Size 13-15 cm	35 kg / 77 lb
SAB315	Child's Play Energy Ankle Block, Foot Size 16-18 cm	45 kg / 99 lb
SAB316	Child's Play Energy Ankle Block, Foot Size 19-21 cm	65 kg / 144 lb

Specifications

Product Weight	
SAB314:	123 g / 4.3 oz
SAB315:	146 g / 5.1 oz
SAB316:	179 g / 6.3 oz
Height	8.6 cm / 3.4 in
Max Clearance	(Including Foot)
SAB314:	9.4 cm / 3.7 in
SAB315:	10.4 cm / 4.1 in
SAB316:	11.2 cm / 4.4 in
Core Diameter	
SAB314:	3.0 cm / 1.2 in
SAB315:	3.5 cm / 1.4 in
SAB316:	4.1 cm / 1.6 in
Largest Width	7.9 cm / 3.1 in
Warranty	2 years
Made in USA	

Child's Play Laminating Core

- High strength, low profile alternative to an ankle block
- Requires minimal keel to socket clearance
- Ribbed nylon for secure adhesion in the lamination process



Indications: For laminated sockets, maximum weight of 65 kg / 144 lb; for use with Child's Play Energy

Selection

Model No.	Description	Weight Limit
SLC301	Child's Play Laminating Core, Foot Size 13-15 cm	31 kg / 69 lb
SLC302	Child's Play Laminating Core, Foot Size 16-18 cm	40 kg / 89 lb
SLC303	Child's Play Laminating Core, Foot Size 19-21 cm	65 kg / 144 lb

Specifications

Product Weight	
SLC301:	28 g / 0.9 oz
SLC302:	50 g / 1.7 oz
SLC303:	79 g / 2.7 oz
Min Clearance	(Including Foot)
SLC301:	5.6 cm / 2.2 in
SLC302:	5.8 cm / 2.3 in
SLC303:	6.0 cm / 2.4 in
Max Clearance	(Including Foot)
SLC301:	9.4 cm / 3.7 in
SLC302:	10.4 cm / 4.1 in
SLC303:	11.2 cm / 4.4 in
Warranty	2 years
Made in USA	

Child's Play Symes Nut

- Provides a broad, solid anterior support surface
- Fabricated from aluminum alloy
- Abrasive etch finish ensures secure socket adhesion during fabrication



Indications: For laminated sockets; for use with Child's Play Energy

Selection

Model No.	Description	Weight Limit
SSY301	Child's Play Symes Nut, Foot Size 13-15 cm	31 kg / 69 lb
SSY302	Child's Play Symes Nut, Foot Size 16-18 cm	40 kg / 89 lb
SSY303	Child's Play Symes Nut, Foot Size 19-21 cm	65 kg / 144 lb

Specifications

Product Weight	
SSY301:	14 g / 0.4 oz
SSY302:	20 g / 0.7 oz
SSY303:	28 g / 0.9 oz
Height	13mm / 0.5 in
Min Clearance	(Including Foot) 4.0 cm / 1.6 in
Warranty	2 years
Made in USA	



Orthotics

UPPER EXTREMITY

Static Wrist-Hand Finger Positioning Splint	18
---	----

CERVICAL

Malibu Cervical Collar	19
Lerman MINERVA	20

SPINAL

Pectus Carinatum Orthosis	21
---------------------------	----

HIP

Pediatric Plastazote Hip Abduction Orthosis	22
---	----

AFO

Child's Play Matrix	23
Matrix Max Mini Raw	24
Bebax Tri-Plane Pediatric Forefoot Orthosis	25

WARRANTY

Warranty	26
----------	----

Static Wrist-Hand-Finger Positioning Splint

- Finger channels maintain position
- Easy, single-handed donning and doffing



Indications: Treatment of burns, hemiplegia, post-fracture, post-surgery, arthritis of wrist, hand and fingers

Selection

Model No. Left	Model No. Right	Size	Forearm Circumference	Wrist Circumference
JS-1002	JS-1001	X-Small	13-17 cm / 5-6.5 in	10-13 cm / 4-5 in

Specifications

Material	Thermoplastic (Latex Free)
Metacarpal Width	4-6 cm / 1.5-2.5 in
Warranty	90 days
Made in USA	

Malibu Cervical Collar

- Lightweight, heat moldable Kydex® shell with soft, closed-cell foam liner
- Rigid support controls flexion, extension and rotation
- Independently height-adjustable anterior and posterior sections
- Trachea opening
- Made of non-ferrous materials; MR safe
- Thoracic extension and liner available



Indications: Cervical spine precaution for trauma patients, immobilization for pre and post cervical spine surgery, ligament/muscular injuries, nerve impingement

Selection

Model No.	Description	Height	Neck Circumference
CV101	Malibu Cervical Collar, Pediatric	6-8 cm / 2-3 in	20-28 cm / 8-11 in

Accessories

Model No.	Description
CV103	Thoracic Extension, Ped, LG
CV104	Thoracic Extension, Ped, SM

Distance from Sternal Notch to Xyphoid Process:

CV103:	20 cm / 8 in
CV104:	18 cm / 7 in

Specifications

Material CV101: CV103, 104:	Kydex® / Plastazote Kydex® / Plastazote / Carbon Composite (Latex Free)
Warranty	90 days
Includes	2 Chin Pads
Made in USA	



Anterior View



Posterior View

Lerman MINERVA

- MR safe
- Used to support and stabilize cervical spine and upper thoracic spine after injury or surgery
- Height adjustable occipital shell and chin support
- Oval trachea opening

Indications: C2-T3 stable fractures, muscular/ligamentous injury, degenerative joint disease, cervical pain/nerve impingement

Contraindications: Unstable fractures, type II dens fractures



Selection

Model No.	Description	Height
A193PED	Lerman MINERVA, Pediatric	23-28 cm / 9-11 in

Specifications

Material	Polyethylene / Aluminum (Latex Free)
Warranty	90 days
Includes	Pad set (2)
Made in USA	



Pectus Carinatum Orthosis

- Provides increased anterior/posterior directed corrective compressive forces
- Shapeable metal components
- Washable foam pads increase patient comfort


Indications: Abnormal chest shape, protrusion of both the sternum (breast bone) and the cartilage portion of the ribs, bowed chest (Pigeon breast)

Selection

Model No.	Description	Size	Chest Circumference
PECTUS	Pectus Carinatum Orthosis	One Size Fits Most	66-89 cm / 26-35 in

Specifications

Material	Low Density Polyethylene / Aluminum / Padding (Latex Free)
Warranty	90 days
Made in USA	



Anterior View

Posterior View

Pediatric Plastazote Hip Abduction Orthosis

- Made of plastazote
- Easy to clean

Indications: Congenital hip dysplasia



Selection

Model No.	Description	Size	Waist Circumference
015COH1	Pediatric Plastazote Hip Abduction Orthosis	Small	30-38 cm / 12-15 in
015COH2	Pediatric Plastazote Hip Abduction Orthosis	Medium	38-46 cm / 15-18 in
015COH3	Pediatric Plastazote Hip Abduction Orthosis	Large	43-48 cm / 17-19 in

Specifications

Material	Plastazote (Latex Free)
Thigh Circumference	
015COH1:	18-22 cm / 7-8.5 in
015COH2:	22-25 cm / 8.5-10 in
015COH3:	23-30 cm / 9-12 in
Warranty	90 days
Made in USA	

Child's Play Matrix

- Redesigned strut layout for improved durability
- Lightweight, carbon composite frame with enhanced stability
- Lateral strut that is anterior to malleolus
- Open calcaneal design
- Height adjustable anterior shell
- Available with camo blue or butterfly pink shell



Indications: Low to high activity patients with unilateral or bilateral drop foot, Spina Bifida, Cerebral Palsy, low tone crouch gait or idiopathic toe walkers with no mid-foot collapse

Selection

Model No. Left	Model No. Right	Size	Color	Height	Foot Length
FH201L-03	FH201R-03	Medium	Camo Blue	26 cm / 10 in	18 cm / 7 in
FH201L-04	FH201R-04	Large	Camo Blue	29 cm / 11.5 in	20 cm / 8 in
FH202L-03	FH202R-03	Medium	Butterfly Pink	26 cm / 10 in	18 cm / 7 in
FH202L-04	FH202R-04	Large	Butterfly Pink	29 cm / 11.5 in	20 cm / 8 in

Specifications

Material	Carbon Composite (Latex Free)
Shoe Size FH20xx-03: FH20xx-04	9.5-11 US 12-13.5 US
Warranty Hardware: Soft Goods:	1 year 90 days
Includes	Hex Key

Matrix Max Mini Raw

- Lightweight, carbon composite
- Ready for practitioner to create a custom AFO, KAFO
- Dynamic foot plate and reinforced strut positioned anterior to malleolus
- Can be used laterally or medially
- Includes White Shrink Tube, Stainless Steel Inserts, M4 Screws, Black Shrink Tubes (2)

Indications: CP, Spina Bifida, Idiopathic Toe Walking



Selection

Left Model No.	Right Model No.	Description	Height	Foot Length
FH235L	FH235R	Matrix Max Mini Raw, Each	34 cm / 13.5 in	22 cm / 8.5 in

Specifications

Material	Carbon Composite (Latex Free)
Warranty	1 year

Bebax Tri-Plane Pediatric Forefoot Orthosis

- Allows progressive and dynamic correction of congenital forefoot deformities
- Adjusts progressively for proper fit
- Patented, multi-directional hinge adapts easily for correction in all three planes
- Minimizes retractions from muscular or neurological disorders
- Offers serial casting; contact molding to forefoot and heel without plaster
- Removable for stretching and hygiene
- Not recommended for treatment of clubfoot or intended for use while walking



Indications: Congenital forefoot deformities

Selection

Left Model No.	Right Model No.	Description	Length
08731L-01	08731R-01	Bebax Tri-Plane Forefoot, Infant	7.5 cm / 3 in
08731L-02	08731R-02	Bebax Tri-Plane Forefoot, Infant	8 cm / 3.1 in
08731L-03	08731R-03	Bebax Tri-Plane Forefoot, Infant	8.5 cm / 3.3 in
08731L-04	08731R-04	Bebax Tri-Plane Forefoot, Infant	9 cm / 3.5 in
08731L-05	08731R-05	Bebax Tri-Plane Forefoot, Infant	9.5 cm / 3.7 in
08731L-06	08731R-06	Bebax Tri-Plane Forefoot, Infant	10 cm / 3.9 in
08731L-07	08731R-07	Bebax Tri-Plane Forefoot, Toddler	10.5 cm / 4.1 in
08731L-08	08731R-08	Bebax Tri-Plane Forefoot, Toddler	11.5 cm / 4.5 in
08731L-09	08731R-09	Bebax Tri-Plane Forefoot, Toddler	12.5 cm / 4.9 in
08731L-10	08731R-10	Bebax Tri-Plane Forefoot, Toddler	13.5 cm / 5.3 in

Specifications

Material	Leather (Latex Free)
Warranty	90 days



Warranty

Trulife warrants each of its orthotic and prosthetic devices subject to conditions below, to be free from defects in material and workmanship under normal use, service, and proper installation, for the time period specified below:

If failure of a purchased product occurs during this period because of a defect in material or workmanship, upon satisfaction of the conditions set forth below, Trulife will replace, repair, or refund the product at no charge to the original retail purchaser.

Your sole and exclusive remedy, as the original retail purchaser, in the event of a defect is found, is expressly limited to replacement or repair of the product, although Trulife may elect to refund, not to exceed the purchase price, rather than replace or repair the product. Replacement products are warranted for only the remainder of the original warranty period. Warranty is nontransferable and may only be exercised by the original purchaser.

The limited warranty contained herein is in lieu of all other written or expressed warranties. Any implied warranty, including the implied warranties of merchantability or fitness for a particular purpose, is limited in length to the duration of this limited warranty. Some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you.

Trulife's sole responsibility is to replace, repair, or refund as stated herein, and Trulife shall not be liable for any special, indirect, or consequential damages including loss of time, inconvenience, loss of the use of the product, or commercial losses. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

The application guidelines for this Trulife product are for the use of and by certified, qualified practitioner only. Patients are not to attempt to apply or adjust the item unless expressly instructed to do so by the practitioner responsible for the prescription and/or initial fitting of the device. All patient questions should be referred to the practitioner and not to the manufacturer. The manufacturer warrants only that the enclosed product has been inspected for quality and can be effective for certain indications, but final decisions and ongoing monitoring must be made by the prosthetic professional(s) prescribing and/or fitting the device to determine its effectiveness for an individual patient. Patient compliance is an integral part of the entire protocol and must be adhered to in order to avoid potential problems and to maximize the effectiveness of the prescribed product.

As a condition of the sale of any Trulife product, this prosthesis is restricted to a "Single Patient Use Only" by the originally fitted patient in order to protect the care provider and the patient against potentially adverse consequences of infectious disease transmission, material instability in adapting to the configuration of the original user and/or decrease in effectivity. Any express or implied warranties are voided if the product is reused or fitted to another patient. Additionally, a license of right to use under any relevant patents pertaining to the product is terminated with the cessation of use by the original patient. As with all Trulife products, this product must be prescribed and applied by a qualified practitioner to determine it meets the needs of the particular patient and accomplishes the desired results.

Warranty Specifications

Orthotic Devices All Models Including Foam Products	90 days
Carbon Fiber AFOs	Hardware: 1 year Soft Goods: 90 days
Feet Child's Play Energy	Keel: 2 years Cosmesis: 6 mos
Knees All Models	2 years
AAA Adapters All Models	2 years
Endoskeletal and Exoskeletal Components	2 years
Repairs and Refurbishes	90 days

Note: Warranty durations begin the date of installation, repair or refurbish.