

# TITANIUM COMPONENTS

## Tube Clamp Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	TI-100C	Tube Clamp Adapter	85 g	47 mm	365 lbs (166 kg)
	TI-100C-FL	Tube Clamp Adapter with Flat Clamp	82 g	47 mm	365 lbs (166 kg)
	TI-100C-DH	Tube Clamp Adapter with Drain Holes	85 g	47 mm	365 lbs (166 kg)
	TI-100C-SH	Tube Clamp Adapter, SHORT	79 g	39 mm	365 lbs (166 kg)
	TI-100C-LONG	Tube Clamp Adapter, LONG	108 g	84 mm	365 lbs (166 kg)
	TI-105C	Tube Clamp Adapter, 5mm Offset	113 g	50 mm	365 lbs (166 kg)
	TI-411C	4-Hole Tube Clamp Adapter	147 g	44 mm	365 lbs (166 kg)
	TI-120P	Tube Clamp Adapter with Pyramid	82 g	34 mm	365 lbs (166 kg)

# TITANIUM COMPONENTS

## Angled Tube Clamp Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	TI-205C	5 Degree Angled Tube Clamp Adapter	91 g	50 mm	365 lbs (166 kg)
	TI-210C	10 Degree Angled Tube Clamp Adapter	91 g	52 mm	365 lbs (166 kg)
	TI-215C	15 Degree Angled Tube Clamp Adapter	96 g	55 mm	365 lbs (166 kg)
	TI-220C	20 Degree Angled Tube Clamp Adapter	108 g	57 mm	365 lbs (166 kg)

## Dual Adapters



PART NUMBER	TI-130D	TI-132D	TI-138D	TI-145D	TI-152D	TI-160D	TI-168D	TI-175D
WEIGHT	85 g	88 g	91 g	111 g	113 g	122 g	133 g	139 g
BUILD HEIGHT	30mm	32mm	38mm	45mm	52mm	60mm	68mm	75mm
WEIGHT RATING	365 lbs (166 kg)							

# TITANIUM COMPONENTS

## Pyramid and Receiver Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	<b>TI-400A</b>	<b>4-Hole Pyramid, Axial Offset</b>	77 g	9 mm	365 lbs (166 kg)
	<b>TI-400A-WH</b>	<b>4-Hole Pyramid with Hole, Axial Offset</b>	74 g	9 mm	365 lbs (166 kg)
	<b>TI-400B</b>	<b>4-Hole Pyramid</b>	60 g	9 mm	365 lbs (166 kg)
	<b>TI-400BIL</b>	<b>4-Hole Pyramid, Round Base</b>	62 g	9 mm	365 lbs (166 kg)
	<b>TI-400BIL-SH</b>	<b>4-Hole Round Base with Vents</b>	57 g	9 mm	365 lbs (166 kg)
	<b>TI-400D</b>	<b>4-Hole Pyramid, Diagonal Offset</b>	77 g	9 mm	365 lbs (166 kg)
	<b>TI-400D-WH</b>	<b>4-Hole Pyramid with Hole, Diagonal Offset</b>	74 g	9 mm	365 lbs (166 kg)
	<b>TI-425BH</b>	<b>4-Hole Pyramid with Hole</b>	54 g	9 mm	365 lbs (166 kg)

# TITANIUM COMPONENTS

## Pyramid and Receiver Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	<b>TI-400RM</b>	<b>4-Hole with Rotatable Pyramid</b>	68 g	9 mm	300 lbs (136 kg)
	<b>TI-406PAT</b>	<b>Threaded 4-Hole with Rotatable Pyramid</b>	71 g	9 mm	300 lbs (136 kg)
	<b>TI-460RM</b>	<b>4-Hole Clamping Base with Rotatable Pyramid, 2 Thru Holes</b>	116 g	16 mm	365 lbs (166 kg)
	<b>TI-460TRM</b>	<b>4-Hole Clamping Base with Rotatable Pyramid</b>	111 g	16 mm	365 lbs (166 kg)
	<b>TI-4PRWH</b>	<b>4-Slot Round Base with Pyramid</b>	79 g	8 mm	365 lbs (166 kg)
	<b>TI-500P</b>	<b>SACH Foot Adapter, M10</b>	99 g	8 mm	365 lbs (166 kg)
	<b>TI-115DM</b>	<b>Dual Pyramid Adapter</b>	116 g	16 mm	365 lbs (166 kg)
	<b>TI-125P</b>	<b>Pyramid and Receiver Adapter</b>	68 g	18 mm	365 lbs (166 kg)

# TITANIUM COMPONENTS

## Pyramid and Receiver Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	<b>TI-450BF</b>	<b>4-Hole Receiver</b>	82 g	20 mm	365 lbs (166 kg)
	<b>TI-455RF</b>	<b>4-Hole with Rotatable Receiver</b>	82 g	16 mm	300 lbs (136 kg)
	<b>TI-456PAT</b>	<b>Threaded 4-Hole with Rotatable Receiver</b>	85 g	16 mm	300 lbs (136 kg)
	<b>TI-465RF</b>	<b>4-Hole Clamping Base with Rotatable Receiver, 2 Thru Holes</b>	122 g	23 mm	365 lbs (166 kg)
	<b>TI-465TRF</b>	<b>4-Hole Clamping Base with Rotatable Receiver</b>	122 g	23 mm	365 lbs (166 kg)
	<b>TI-4RR</b>	<b>4-Slot Round Base with Receiver</b>	96 g	17 mm	365 lbs (166 kg)



# TITANIUM COMPONENTS

## Pyramid and Receiver Adapters

COMPONENT	PART NUMBER	DESCRIPTION	WEIGHT	BUILD HEIGHT	WEIGHT RATING
	TI-00MS	Rotatable Pyramid with Male Thread	45 g	6 mm	365 lbs (166 kg)
	TI-01MS	Rotatable Pyramid with Female Thread	71 g	18 mm	365 lbs (166 kg)
	TI-50FS	Rotatable Receiver with Male Thread	54 g	13 mm	365 lbs (166 kg)
	TI-60FS	Rotatable Receiver with Female Thread	88 g	23 mm	365 lbs (166 kg)
	TI-407BASE	Threaded 4-Hole Base with Male Thread	82 g	5 mm	365 lbs (166 kg)
	TI-407-T-BASE	4-Hole Base with Male Thread	74 g	5 mm	365 lbs (166 kg)
	TI-460B	4-Hole Clamping Base, 2 Thru Holes	68 g	10 mm	365 lbs (166 kg)
	TI-460TB	4-Hole Clamping Base	60 g	10 mm	365 lbs (166 kg)