

Polypropylene

PP, Polypro, Polypropene



Description and Overview

Polypropylene is a versatile, lightweight thermoplastic with high strength, chemical, moisture and corrosion resistance. Polypropylene is easily vacuum formed, thermoformed, fabricated, hot air welded and machined.

Copolymer polypropylene provides outstanding toughness and performs well at temperatures as low as -22° F.

Homopolymer polypropylene is very strong and extremely resistant to chemicals, corrosion and heat.

Applications and Uses

Polypropylene is used in a wide variety of applications including packaging and labeling, orthotics and prosthetics, laboratory equipment, chemical tanks and automotive components.

- Chemical, plating and water tanks
- Semiconductor equipment
- Cabinets and work surfaces
- Orthotics and prosthetics

Fluted polypropylene is a lightweight and cost-effective solution for signage and packaging applications.

- Signage
- Construction
- Shelter
- Packaging
- Lamination

Polypropylene is available in copolymer & homopolymer sheets & rods. Medical grades & fluted polypropylene are also available.

Full Sheet: 48"x96" (0.125" through 2.0" thick)
Rod: (.125" through 4.0" diameter)

Properties and Specifications

Property	Co-polymer	Homopolymer
Specific Gravity	0.91	0.91
Water Absorption @ 25 Hours	<0.1%	<0.1%
Tensile Strength @ Yield (psi)	3500	4700
Flexural Modulus (psi)	155,000	180,000
Continuous Operating Temp	180° F	180° F
Izod Impact, Notched (ft-lbs/in.)	8.0	1.0
Hardness, Rockwell	M70/R118	M70/R118
Affixable Properties	Mech	

Properties are typical.
Chem is an abbreviation for chemically affixed with glues, chemicals or adhesives.
Mech is an abbreviation for mechanically affixed bonding.
Field testing is recommended for any application.

Rev 3 (08/29/2018)

330 Commerce Circle
Sacramento, CA 95815
(888) 768-5759

 WARNING: This product can expose you to chemicals including Ethylene Oxide, CAS 75-21-8, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

 WARNING: This product can expose you to chemicals including Ethylene Oxide, CAS 75-21-8, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov



www.interstateplastics.com