


Pyramid Components

Distal Attachment Plate

FILLAUER

- Forms distal spherical shape
- Great for check sockets
- Four-post geometry
- Fillauer Fabrication Kit flattens distal end surface
- Maximum strength rating of 300lbs (136kgs)

125308 Distal Attachment Plate



4-Hole Plate for Thermo-Mold Shuttle Lock

FILLAUER

125295 4-Hole Shuttle Lock Kit

Includes:

125365 Red Shuttle Lock Plate, *Sold Separately*

880288 Fabrication Screws (4 Each)

880282 Mounting Screws (4 Each)


880712 Countersink Lock Washers (4 Each)



Wooden Socket Attachment Plate

FILLAUER

124109 Wooden Socket Attachment Plate Assembly



4-Hole Spacer Plates


FILLAUER

125810 1/4" 4-Hole Spacer Plate

125812 1/2" 4-Hole Spacer Plate

FC100106 1/4" 4-Hole Spacer, *for Pediatric*

FC100108 1/2" 4-Hole Spacer, *for Pediatric*



Socket Block

HOSMER

- Rated to 300lbs

60267 Socket Block, 301g

60329 Socket Attachment Block Screw, *Standard M6x10x20mm*

60281 Laminating Cover




Back Plate

HOSMER

- Back Plate used with Hosmer Rotatable Adapter and Hosmer Rotatable Pyramid Adapter

60290 Back Plate



4-Hole Distal Attachment Block

FILLAUER

- No shaping required
- Lightweight
- Low profile
- Rated to 220lbs (100kgs)

124102 4-Hole Distal Attachment Block Kit

Includes:

124102LC Lamination Plate

880292 Screw, M6x.1x16 Socket Head Cap Screw, 4 Each

880280 Screw, M6x.1x16 Flat Head Socket Cap, 4 Each

103078 Vinyl Cap, for M6 Socket Head Cap Screw, 4 Each




Attachment Plate for Thermoplastic

FILLAUER

- A thermoplastic socket or thigh extension
- Drilled and threaded for metric screws in the 4-hole European pattern

A. 125290 Attachment Plate For Thermoplastic, *Threaded Center Hole, Accepts Shuttle Lock*

B. 125298 Attachment Plate For Thermoplastic, *Non-Threaded Center Hole*



Pyramid Components

Pylon Tube Clamp with Pyramid Receiver

FILLAUER COMPANIES

- Rated to 300lbs (136kgs)
- 30mm tube

124170 Pylon Tube Clamp, *Aluminum, with Pyramid Receiver*


- A. **880290** Socket Head Set Screw Flat Point, *M8 x 1.25 x 16mm*
- B. **124120** Tube Connector, *Aluminum Only*
- 882520** Socket Head Cap Screw, *M5 x .8 x 20mm, for 124170*

60248 Screw Set, *M8 x 1.25 x 12mm*

60249 Screw, *M5 x .8 x 14mm HD Cap Soc*

60400 Pylon Tube Clamp, *Stainless Steel, with Pyramid Receiver*

60247 Pylon Tube Clamp, *Titanium, with Pyramid Receiver*



Dual Adapter

HOSMER

- Choice of aluminum or titanium in four lengths

60306 Dual Adapter, *Titanium, 32MM, 80g, 300lb Rating*

60439 Dual Adapter, *Titanium, 45MM, 91g, 300lb Rating*

60440 Dual Adapter, *Titanium, 60MM, 102g, 300lb Rating*

60441 Dual Adapter, *Titanium, 75MM, 118g, 300lb Rating*

61361 Dual Adapter, *Aluminum, 32MM, 68g, 220lb Rating*


61362 Dual Adapter, *Aluminum, 45MM, 80g, 220lb Rating*

61363 Dual Adapter, *Aluminum, 60MM, 93g, 220lb Rating*

61364 Dual Adapter, *Aluminum, 75MM, 106g, 220lb Rating*

Includes:

60248 Alignment Adjustment Screw, *Standard M8 x 1.25 x 12mm*



Pylon Tube Clamp Assembly

FILLAUER

- Matches Entegra Knee Distal profile
- Rated to 220lbs

125106 Pylon Tube Clamp, *Aluminum, 30mm, Metric*

Includes:

125106ANZ Pylon Tube Clamp

882620 Socket Head Cap Screw, *M6x1x20mm*



Pyramid Components

Above Knee Rotatable Socket Adapters

HOSMER

- Stainless steel
- Rated to 300lbs

60576 AK Rotatable Socket Adapter, *Pyramid*, 198g

60544 Threaded Pyramid, *Stainless Steel*, 90g

Includes:

56353 Clamp Screw, *M5 x 8 x 30mm*

61416 Socket Adapter Only, *No Pyramid Receiver, Threaded*

60299 Lamination Cap

60312 AK Rotatable Socket Adapter, *Pyramid Receiver*, 187g

60314 Rotatable Pyramid Receiver, *Stainless Steel*

62590 Rotatable Pyramid Receiver, *Stainless Steel*


Includes:

60248 Alignment Adjustment Screw, *Standard M8 x 1.25 x 12mm*

61416 Socket Adapter Only, *No Pyramid Receiver, Threaded*



60312



60576



60544



62590



Above Knee Socket Adapter

HOSMER

- Stainless steel
- Rated to 300lbs

60325 AK Socket Adapter, *Pyramid*, 129g

Includes:

60299 Laminating Cap



4 Prong BK Adapter with Pyramid

FILLAUER

124181 Below Knee Socket Pyramid Adapter, *with Lamination Cap, 2.5" Diameter, Stainless Steel, Rated to 220lbs (100kg)*



4 Prong BK Adapter with Pyramid

HOSMER

61134 Titanium, *Through Hole*, 300lb Rating

60457 Stainless Steel, *Through Hole*, 220lb Rating

60324 Stainless Steel, 220lb Rating

Includes:

60299 Laminating Cap

Pyramid Components

Pyramid Receiver

FILLAUER

- Metric screws in the 4-hole European pattern

124107 Pyramid Receiver, *with Tapped Base Holes*


Includes:

- A. 124107A** Pyramid Receiver Base, *with Tapped Holes*
B. 880290 Socket Head Set Screw Flat Point, *M8 x 1.25 x 16mm (4 Each)*

124108 Pyramid Receiver, *with Non-Tapped Holes*

Includes:

- A. 124108ANZ** Pyramid Receiver Base, *with Non-Tapped Holes*
B. 880290 Head Set Screw Flat Point, *M8 x 1.25 x 16mm Socket (4 Each)*



Rotatable Adapter

HOSMER

- Rated to 300lbs

60293 Rotatable Adapter, *Titanium, 82g*

60435 Rotatable Adapter, *Stainless Steel 126g*

Includes:

- 60329** Socket Attachment Block Screw, *Standard M6x10x20mm*
60248 Alignment Adjustment Screw, *Standard M8x1.25x12mm*
60290 Back Plate Only



Rotatable Pyramid Adapter

HOSMER

- Rated to 300lbs
- Includes back plate and screws

61100 AK Rotatable Pyramid Adapter, *Titanium 129g*

61097 AK Rotatable Pyramid Adapter, *Stainless Steel, 153g*

Includes:

- 60290** Back Plate Only
60329 Socket Attachment Screws, *Standard Flat Head M6x10x20mm*



4-Hole Pyramid Adapter

HOSMER

- Rated to 300lbs

60254 4-Hole Pyramid Adapter, *with Through Hole, Titanium, 50g*

60416 4-Hole Pyramid Adapter, *without Through Hole, Stainless Steel, 104g*

60329 Socket Attachment Screws, *Standard Flat Head M6 x 10 x 20mm*



Pyramid Components

Above Knee Rotator

HOSMER

- Allows cross legged sitting
- Facilitates entering and exiting cars
- Smooth, one-handed, push button operation
- Self adjusting, reliable lock
- Automatic relock
- Rated to 300lbs



60762 AK Rotator, *Stainless Steel*

Includes:

60248 Alignment Adjustment Screw, *Standard M8 x 1.25 x 12mm*


60270 Alignment Adjustment Screw, *Short M8 x 1.25 x 10mm*

60271 Alignment Adjustment Screw, *Long M8 x 1.25 x 16mm*

Pyramid System Screws

HOSMER

- A. **60249** Clamp Screw, *M5 x .8 x 14mm*
 B. **60270** Alignment Adjustment Screw, *Short M8 x 1.25 x 10mm*
 C. **60248** Alignment Adjustment Screw, *Standard M8 x 1.25 x 12mm*
 D. **60271** Alignment Adjustment Screw, *Long M8 x 1.25 x 16mm*
 E. **60329** Socket Attachment Block Screw, *M6 x 10 x 20mm*
 F. **56353** Clamp Screw, *for AK Rotatable Socket Adapter, M5 x 8 x 30mm*
 G. **56039** Clamp Screw, *for Single Axis Locking Knee, M6 x 1.0 x 25mm*



Socket Attachment Plate with Pyramid

FILLAUER

- 4-hole European pattern
- Includes metric screws

- A. **124180** Socket Attachment Plate, *Aluminum with Titanium Pyramid (300 lbs/136 kgs)*
 B. **60416** Socket Attachment Plate, *Stainless Steel (300 lbs/136 kgs)*
 60254 Socket Attachment Plate, *Titanium (300 lbs)*
 60329 Socket Attachment Screws, *Standard Flat Head M6 x 10 x 20mm*
 C. **124178** Socket Attachment Plate, *Aluminum with Titanium Pyramid and Through Hole (300 lbs/136 kgs)*

