



Xtra Torsion. Xtra Shock.

AllPro XTS Foot

**Foot
Weight**
25.6 / 27.8 oz.
728 / 789 g

**Maximum
Patient Weight**
276 lbs.
125 kg

**Build
Height**
6.4 / 8.4 in.
16.2 / 21.3 cm

**Activity
Level**
K3 / K4


Fillauer®



More Torsion in a Lower Profile

It's the AllPro performance you have come to expect with an even smoother rollover and forgiveness on rough terrain or around town.

The XTS unit provides adjustable torsion and vertical shock reduction without sacrificing build height. This field-serviceable unit is built with an active lifestyle in mind.



Waterproof

Have the confidence to go where you want. The AllPro XTS is IP67 waterproof from tip to toe.



Industry-Leading Flexibility


The split-toe, carbon composite design provides multiaxial movement and dynamic response.



AllPro XTS

Specifications

	6.4-inch model	8.4-inch model
Patient Weight	275 lbs. (125 kg)	275 lbs. (125 kg)
Foot Build Height	6.4 in. (16.3 cm)	8.4 in. (21.3 cm)
Foot Weight (26 cm, Category C)	25.6 oz. (728 g)	27.8 oz. (789 g)
Functional Level	K3 – K4	
Primary Materials	Carbon Composite, Aluminum, Polyurethane, and Stainless Steel	
Durable	Meets ISO-22675 Standard	
Waterproof	The foot unit is waterproof to 1 meter.	
Warranty	36 months	



Ordering Information

Foot includes Spectra Sock. Foot Shell sold separately.

229-106-XX-XX AllPro DS foot, 6.4 in. pylon, foot sizes 22 – 30 cm

229-108-XX-XX AllPro DS foot, 8.4 in. pylon, foot sizes 22 – 30 cm

Patient Weight		22 cm	23 cm	24 cm	25 cm	26 cm	27 cm	28 cm	29 cm	30 cm
100 – 119 lbs.	45 – 54 kg	22-A2	23-A2	24-A2	25-B4	26-B4				
120 – 139 lbs.	54 – 63 kg	22-A3	23-A3	24-A3	25-B4	26-B4	27-C6	28-C6		
140 – 159 lbs.	64 – 72 kg	22-B4	23-B4	24-B4	25-B4	26-B4	27-C6	28-C6	29-D7	30-D7
160 – 179 lbs.	73 – 81 kg	22-B4	23-B4	24-B4	25-C5	26-C5	27-C6	28-C6	29-D7	30-D7
180 – 199 lbs.	82 – 90 kg	22-C5	23-C5	24-C5	25-C5	26-C5	27-D7	28-D7	29-D7	30-D7
200 – 224 lbs.	91 – 102 kg	22-C5	23-C5	24-C5	25-D6	26-D6	27-D7	28-D7	29-E8	30-E8
225 – 250 lbs.	102 – 113 kg				25-D6	26-D6	27-E8	28-E8	29-E8	30-E8
250 – 276 lbs.	113 – 125 kg				25-E7	26-E7	27-E8	28-E8	29-F9	30-F9

Foot Shell

Ordering Information

XX XX 13 CC 3 Foot Shell

To order, select the side (left or right) and foot length (22 – 30 cm) from the chart below. Then, choose the color (CC 03, 09, 13, or 99).



CC 03 CC 09 CC 13 CC 99

	22 cm	23 cm	24 cm	25 cm	26 cm	27 cm	28 cm	29 cm	30 cm
Left	45 22	45 23	45 24	45 25	45 26	45 27	45 28	45 29	45 30
Right	46 22	46 23	46 24	46 25	46 26	46 27	46 28	46 29	46 30

Fillauer®

Fillauer LLC

2710 Amnicola Highway
Chattanooga, TN 37406
423.624.0946