





Locks



Lock System Chart



Original Shuttle Lock	Style	Distal Attachment	Weight Rating	Build Height	Item Number	Fabrication Kit Number	Plungers	Features
	Original	None	N/A	1 ¼ in. 3.2 cm	125229	125239	1, 1.5, 2, 2.5, 3 in.	
Modular Shuttle Locks	Style	Distal Attachment	Weight Rating	Build Height	Item Number	Fabrication Kit Number	Plungers	Features
	Ti Pyramid	Ti Pyramid	300 lbs. (136 kg)	1 ½ in. 3.8 cm**	125460	125239	1, 1.5, 2, 2.5, 3 in.	
	Delrin	None	N/A	1 ¼ in. 3.2 cm****	125459	125239	1, 1.5, 2, 2.5, 3 in.	
	Cylindrical	4-Hole	300 lbs. (136 kg)	1 in. 2.5 cm	125462	125239	1, 1.5, 2, 2.5, 3 in.	
	4-Hole	4-Hole	300 lbs. (136 kg)	1 ¼ in. 3.2 cm	125461	125204	1, 1.5, 2, 2.5, 3 in.	
	Green Cylindrical	4-Hole	300 lbs. (136 kg)	1 in. 2.5 cm	125240	809867	1, 1.5, 2, 2.5, 3 in.	—
Gator Grip Locks	Style	Distal Attachment	Weight Rating	Build Height	Item Number	Fabrication Kit Number	Plungers	Features
	Ti Pyramid	Ti Pyramid	300 lbs. (136 kg)	1 ½ in. 3.8 cm**	141002	141020	1, 1.5, 2 in.	
	Delrin	None	N/A	1 ¼ in. 3.2 cm	141001	141020	1, 1.5, 2 in.	
	Cylindrical	4-Hole	300 lbs. (136 kg)	1 ¼ in. 3.2 cm	141003	141021	1, 1.5, 2 in.	
Clutch Locks	Style	Distal Attachment	Weight Rating	Build Height	Item Number	Fabrication Kit Number	Plungers	Features
	Ti Pyramid	Ti Pyramid	300 lbs. (136 kg)	1 ¾ in. 4.4 cm**	140010	140065	1.5, 2 in.	
	Delrin	None	N/A	1 ⅝ in. 2.9 cm****	140000	140065	1.5, 2 in.	
	Cylindrical	4-Hole	300 lbs. (136 kg)	1 ¼ in. 3.2 cm	140020	140065	1.5, 2 in.	
Pediatric Modular Locks	Style	Distal Attachment	Weight Rating	Build Height	Item Number	Fabrication Kit Number	Plungers	Features
	Ti Pyramid	Med. Ti Pyramid	132 lbs. (60 kg)	1 ¼ in. 3.2 cm**	FC100202	125420	1, 1.5 in.	
	Delrin	None	N/A	⅞ in. 2.2 cm****	125410	125420	1, 1.5 in.	
	Cylindrical	Ped 4-Hole	132 lbs. (60 kg)	1 in. 2.5 cm	FC100204	125420	1, 1.5 in.	

*Excludes Adapter **To Mid-dome ***Mid-dome to top of thread ****Does not include pin dummy

Original Shuttle Lock



Specifications

Product weight: 2.26 oz. (64.2 g)

Material: Delrin body

Build Height: 1.25 in. (32 mm)

Distal Attachment: None

Ordering Information

Description	Product Number
Shuttle Lock Kit, without Plunger	125229
Shuttle Lock Kit, with Plunger 1.0 in. (25 mm), ¼-20 Thread	125234
Shuttle Lock Kit, with Plunger 1.5 in. (38 mm), ¼-20 Thread	125232
Shuttle Lock Kit, with Plunger 2.0 in. (51 mm), ¼-20 Thread	125237
Shuttle Lock Kit, with Plunger 1.0 in. (25 mm), M10 Thread	125234MM
Shuttle Lock Kit, with Plunger 1.5 in. (38 mm), M10 Thread	125232MM
Shuttle Lock Kit, with Plunger 2.0 in. (51 mm), M10 Thread	125237MM

Replacement Parts

809747 – Shuttle lock body	809730 – Latch pin button
125345 – Button shield	809732 – Mounting nut
809712 – Guide screw assembly	809757 – Pe-Lite washers ¾ in.
809731 – Latch pin	809758 – Pe-Lite washers 1 in.

Fabrication kit


Description	Product Number
Fabrication Kit	125239

Replacement Parts

A 125314 – Threaded plug, ¾-16 × 1 in.	D 880490 – Set screw, ⅝-18 × 2 in.
B 125315 – Distal socket plug	E 885347 – Hex key ¼ in.
C 125348 – Plug screw f/shield	F 880928 – Threaded plug screw, ¾-16 × ⅝ in.

Shuttle lock plungers

Description	Product Number
Plunger 1.0 in. (25 mm), ¼-20 Thread	809722
Plunger 1.5 in. (38 mm), ¼-20 Thread	809725
Plunger 2.0 in. (51 mm), ¼-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (38 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 2.5 in. (64 mm), M10 Thread	809720MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Modular Shuttle Lock with Titanium Pyramid



Specifications

Weight limit: 300 lbs. (136 kg)

Build Height: 1.5 in. (38 mm)

Product weight: 4.3 oz. (121.5 g)

Material: Titanium pyramid

Product Features

- One-piece, removable lock body
- See Lock System Chart on page 44

Ordering Information

Description	Product Number
Modular Shuttle Lock	125460

Replacement Parts

A	809795 – Titanium Pyramid Housing
B	809782 – Shuttle Body
C	809784 – Button Shield
D	809783 – Guide Screw
E	809731 – Latch Pin
F	809785 – Latch Pin Button
G	809711 – Shuttle Lock
H	809756 – Compression Spring
I	880033 – 6-32 × 5/16 in. Socket Head Set Screw
J	809787 – Pe-Lite Washer
K	124183 – Lamination Cap

Fabrication kit



Description	Product Number
Fabrication kit	125239

Replacement Parts

A	809790 – Shuttle Body Dummy
B	809791 – Button Shield Dummy
C	880494 – 5/16-18 × 3 Socket Head Set Screw

Shuttle Lock Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), 1/4-20 Thread	809722
Plunger 1.5 in. (38 mm), 1/4-20 Thread	809725
Plunger 2.0 in. (51 mm), 1/4-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (38 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 2.5 in. (64 mm), M10 Thread	809720MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Modular Shuttle Lock with Delrin Housing



Specifications

Weight limit: N/A

Product weight: 2.2 oz. (62 g)

Build Height: 1.25 in. (32 mm)

Material: Delrin

Product Features

- One-piece, removable body
- Independent alignment
- See Lock System Chart on page 44



Ordering Information

Description	Product Number
Delrin Shuttle Lock, without Plunger	125459

Replacement Parts

809780 – Large Delrin Shuttle Housing	809711 – Shuttle Lock
809782 – Shuttle Body	809756 – Compression Spring
809784 – Button Shield	809783 – Guide Screw
809731 – Latch Pin	880033 – 6-32 × 5/16 in. Socket Head Set Screw
809785 – Latch Pin Button	809787 – Pe-Lite™ Washer

Shuttle Lock Sub Assembly

Description	Product Number
Shuttle Lock Sub Assembly	809746

Replacement Parts

809782 – Shuttle Body	809756 – Compression Spring
809711 – Shuttle Lock	880033 – 6-32 × 5/16 in. Socket Head Set Screw

Fabrication kit




Description	Product Number
Fabrication kit	125239

Replacement Parts

809790 – Shuttle Body Dummy	880494 – 5/16-18 × 3 in. Socket Head Set Screw
809791 – Button Shield Dummy	

Shuttle Lock Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), 1/4-20 Thread	809722
Plunger 1.5 in. (38 mm), 1/4-20 Thread	809725
Plunger 2.0 in. (51 mm), 1/4-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (38 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 2.5 in. (64 mm), M10 Thread	809720MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Modular Shuttle Lock with Cylindrical Housing



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 0.34 oz. (9.6 g)

Build Height: 1.0 in. (25 mm)

Material: Delrin

Warranty: 12 month

Product Features

- One-piece, removable body
- See Lock System Chart on page 44




Ordering Information

Description	Product Number
Cylindrical Housing Shuttle Lock, without Plunger	125462

Replacement Parts

809860 – Cylindrical Housing	809785 – Latch Pin Button
809782 – Shuttle Body	809711 – Shuttle Lock
809784 – Button Shield	809756 – Compression Spring
809783 – Guide Screw	880033 – 6-32 × 5/16 in. Socket Head Set Screw
809739 – Latch Pin	809787 – Pe-Lite™ Washer




Shuttle Lock Sub Assembly

Description	Product Number
Shuttle Lock Sub Assembly	809746

Replacement Parts

809782 – Shuttle Body	809756 – Compression Spring
809711 – Shuttle Lock	880033 – 6-32 × 5/16 in. Socket Head Set Screw




Fabrication Kit

Description	Product Number
Cylindrical Housing Dummy Kit	125239

Replacement Parts

809865 – Fabrication Dummy Body
880275 – M6 × 1 × 16 mm Socket Head Set Screw Cone Point
880494 – 5/16-18 × 3 in. Socket Head Set Screw



May also use Fabrication Kits 125204 and 125202 with this item

Shuttle Lock Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), 1/4-20 Thread	809722
Plunger 1.5 in. (38 mm), 1/4-20 Thread	809725
Plunger 2.0 in. (51 mm), 1/4-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (38 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Modular Shuttle Lock with 4-Hole Housing



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 3.6 oz. (102 g)

Build Height: 1.25 in. (32 mm)

Material: Aluminum housing, Delrin body

Product Features

- One-piece, removable body
- See Lock System Chart on page 44




Ordering Information

Description	Product Number
4-Hole Shuttle Lock, without Plunger	125461

Replacement Parts

809792 – 4-Hole Shuttle Housing	809785 – Latch Pin Button
809782 – Shuttle Body	809711 – Shuttle Lock
809784 – Button Shield	809756 – Compression Spring
809783 – Guide Screw	880033 – 6-32 × 5/16 in. Socket Head Set Screw
809739 – Latch Pin	809787 – Pe-Lite™ Washer



Fabrication Kit for Lamination

Description	Product Number
Fabrication Kit	125204

Replacement Parts


809790 – Shuttle Body Dummy	882610 – M6 × 10 Socket Set Screw (4 Each)
809791 – Button Shield Dummy	885215 – Nut 5/16-18 Acorn
880494 – 5/16-18 × 3 in. Socket Head Set Screw	809798 – Jam Screw
809794 – Flattening Plate	809799 – Jack Screw

Fabrication Kit for Thermoforming

Description	Product Number
Fabrication Kit	125202

Replacement Parts

809790 – Shuttle Body Dummy	882610 – M6 × 10 Socket Set Screw (4 Each)
809791 – Button Shield Dummy	809800 – Camlock Assembly
880494 – 5/16-18 × 3 in. Socket Head Set Screw	809801 – Hole Punch
809793 – Flattening Plate	



Shuttle Lock Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), 1/4-20 Thread	809722
Plunger 1.5 in. (38 mm), 1/4-20 Thread	809725
Plunger 2.0 in. (51 mm), 1/4-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (38 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 2.5 in. (64 mm), M10 Thread	809720MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Cylindrical Lock



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 2.8 oz. (80 g)

Build Height: 1 in. (25 mm)

Material: Delrin

Product Features

- Simple, single stage lamination
- Shuttle lock function
- Distal 4-hole pattern
- See Lock System Chart on page 44



Ordering Information

Description	Product Number
Cylindrical Lock with 2 × Plunger 1.0 in. (25 mm) M10 Thread	125240
Cylindrical Lock with 2 × Plunger 1.5 in. (37 mm) M10 Thread	125241

Replacement Parts

809685 – Latch Pin Button for Lock Systems	880285 – M6 × 1 × 25 mm Flat Socket Head Cap Screw, 4 each
809873 – Cylindrical Lock Body	

Fabrication Kit

Description	Product Number
Fabrication Kit	809867



Replacement Parts

809864 – Fabrication Dummy Body
880275 – M6 × 1 × 16 mm Socket Head Set Screw
880494 – 5/16-18 × 3 in. Socket Head Set Screw
809791 – Button Shield Dummy

May also use Fabrication Kits 125204 and 125202 with this item

Shuttle Lock Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), 1/4-20 Thread	809722
Plunger 1.5 in. (38 mm), 1/4-20 Thread	809725
Plunger 2.0 in. (51 mm), 1/4-20 Thread	809727
Plunger 1.0 in. (25 mm), M10 Thread	809722MM
Plunger 1.5 in. (37 mm), M10 Thread	809725MM
Plunger 2.0 in. (51 mm), M10 Thread	809727MM
Plunger 2.5 in. (64 mm), M10 Thread	809720MM
Plunger 3.0 in. (76 mm), M10 Thread	809721MM



Gator Grip with Ti Pyramid Lock



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 4.7 oz. (133 g)

Build Height: 1.5 in. (39 mm)

Material: Titanium pyramid

Product Features

- Waterproof
- Stepless, soundless locking
- Salt water resistant
- Available rigid or flexible plunger made of stainless steel (not included)



Ordering Information

Description	Product Number
Gator Grip Lock Kit, with Pyramid Housing	141002

Replacement Parts

A 141160 – Hard Anodized Aluminum Housing, with Titanium Pyramid

B 141105 – Release Assembly with Spring, 1 Each

027827 – Compression Spring, Stainless, 1 Each

140106 – Latch Pin, 1 Each

141140 – Release Rack, 1 Each

141142 – Button Shield, 1 Each

141144 – Latch Pin Button, 1 Each

C 141100 – Gator Grip Modular Lock Cartridge

141110 – 316 Stainless Steel 7/32" Ball Bearing, 4 Each

141112 – 316 Stainless Steel Internal Retaining Ring, 1 Each

141114 – 316 Stainless Steel Flat Washer, 1 Each

141120 – Gear Driven Release Cam, 1 Each




141122 – Cam Follower Spacer, 2 Each

141130 – Modular Lock Cartridge Housing, Titanium, 1 Each

141132 – Ball Retainer, 1 Each

027826 – Conical Compression Spring, Stainless Steel

882410 – Cam Follower Screw, 2 Each



Fabrication Kit

Description	Product Number
Gator Grip Fabrication Kit for Delrin and Pyramid Housing	141020

Replacement Parts

141190 – Fabrication Dummy

141195 – Button Dummy

141192 – 1.5 in. (37 mm) Plunger Extension

880494 – 3/16-18 x 3 in. Socket Head Set Screw

141194 – 2 in. Plunger Extension

Gator Grip Plungers with 1/4-20 Thread

Description	Product Number
Flexible Plunger, 1.5 in. (38 mm)	141010
Flexible Plunger, 2.0 in. (51 mm)	141011
Flexible Plunger, 2.5 in. (64 mm)	141012
Rigid Plunger, 1.0 in. (25 mm)	141015
Rigid Plunger, 1.5 in. (38 mm)	141016
Rigid Plunger, 2.0 in. (51 mm)	141017



Gator Grip Delrin Lock



TT

TF

Specifications

Weight limit: N/A

Product weight: 2.6 oz. (74 g)

Build Height: 1.25 in. (32 mm)

Material: Delrin

Product Features

- Waterproof
- Salt water resistant
- Available rigid or flexible plunger made of stainless steel (not included)



Ordering Information

Description	Product Number
Gator Grip Lock Kit, with Delrin Housing	141001

Replacement Parts

141150 – Delrin Housing

A 141105 – Release Assembly with Spring

027827 – Compression Spring, Stainless

140106 – Latch Pin

141140 – Release Rack

141142 – Button Shield

141144 – Latch Pin Button

B 141100 – Gator Grip Modular Lock Cartridge

141110 – 316 Stainless Steel $\frac{7}{32}$ in. Ball Bearing, 4 Each

141112 – 316 Stainless Steel Internal Retaining Ring

141114 – 316 Stainless Steel Flat Washer

141120 – Gear Driven Release Cam



141122 – Cam Follower Spacer, 2 Each

141130 – Modular Lock Cartridge Housing, Titanium

141132 – Ball Retainer

027826 – Conical Compression Spring, Stainless Steel

882410 – Cam Follower Screw, 2 Each



Fabrication Kit

Description	Product Number
Gator Grip Fabrication Kit for Delrin and Pyramid Housing	141020

Replacement Parts

141190 – Fabrication Dummy

141195 – Button Dummy, 1 Each

141192 – 1 $\frac{1}{2}$ in. Plunger Extension

880494 – $\frac{5}{16}$ -18 $\times$ 3 in. Socket Head Set Screw

141194 – 2 in. Plunger Extension

Gator Grip Plungers with $\frac{1}{4}$ -20 Thread

Description	Product Number
Flexible Plunger, 1.5 in. (38 mm)	141010
Flexible Plunger, 2.0 in. (51 mm)	141011
Flexible Plunger, 2.5 in. (64 mm)	141012
Rigid Plunger, 1.0 in. (25 mm)	141015
Rigid Plunger, 1.5 in. (38 mm)	141016
Rigid Plunger, 2.0 in. (51 mm)	141017



Gator Grip Cylindrical Lock



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 4.6 oz. (132 g)

Build Height: 1.25 in. (32 mm)

Material: Delrin

Product Features

- Waterproof
- Salt water resistant
- Available rigid or flexible plunger made of stainless steel (not included)

Ordering Information

Description	Product Number
Gator Grip Lock Kit, with Cylindrical Housing	141003

Replacement Parts

- A** 141150 – Delrin Housing
- B** 141105 – Release Assembly with Spring
 027827 – Compression Spring, Stainless
 140106 – Latch Pin
 141140 – Release Rack
 141142 – Button Shield
 141144 – Latch Pin Button
- C** 141100 – Gator Grip Modular Lock Cartridge
 141110 – 316 Stainless Steel $\frac{7}{32}$ in. Ball Bearing, 4 Each
 141112 – 316 Stainless Steel Internal Retaining Ring
 141114 – 316 Stainless Steel Flat Washer
 141120 – Gear Driven Release Cam
 141122 – Cam Follower Spacer, 2 Each
 141130 – Modular Lock Cartridge Housing, Titanium
 141132 – Ball Retainer
 027826 – Conical Compression Spring, Stainless Steel
 882410 – Cam Follower Screw, 2 Each

Fabrication Kit




Description	Product Number
Gator Grip Fabrication Kit, for Cylindrical Housing	141021

Replacement Parts

- 141196 – Fabrication Dummy
 141197 – Button Dummy
 880494 – $\frac{5}{16}$ -18 × 3 in. Socket Head Set Screw
 880277 – M6 × 1 × 8 mm Socket Head Cap Screw, 4 Each
- 880275 – M6 × 1 × 16 mm Socket Head Set Screw, 4 Each
 141022 – Fabrication Kit, for Thermoforming
 141024 – Fabrication Kit, for Lamination

Gator grip Plungers with $\frac{1}{4}$ -20 Thread

Description	Product Number
Flexible Plunger, 1.3 in. (33 mm)	141009
Flexible Plunger, 1.5 in. (38 mm)	141010
Flexible Plunger, 2.0 in. (51 mm)	141011
Flexible Plunger, 2.5 in. (64 mm)	141012
Rigid Plunger, 1.0 in. (25 mm)	141015
Rigid Plunger, 1.5 in. (38 mm)	141016
Rigid Plunger, 2.0 in. (51 mm)	141017



Clutch Lock with Titanium Pyramid



TT

TF

Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 5.5 oz. (157 g)

Build Height: 1.75 in. (44 mm)

Material: Titanium pyramid

Product Features

- One way valve
- Plunger sold separately



Ordering Information


Description	Product Number
Pyramid Clutch Lock Kit, without Plunger	140010

Replacement Parts

- A** 140002 – Delrin Housing, for Clutch Lock
- B** 140150 – Clutch Lock, with Air Expulsion
140116 – Latch Pin
- C** 140065 – Fabrication Kit, for Clutch Lock
140060 – Wrench
140061 – Clutch Housing Dummy
140062 – Distal Attachment Dummy
880488 – ¼-20 × 2 in. Socket Head Set Screw
881351 – Brass Nail

Clutch Lock Plungers

Description	Product Number
Plunger, 1.5 in. (38 mm), ¼-20 Thread	140041
Plunger, 2.0 in (51 mm), ¼-20 Thread	140040
Plunger, 1.5 in. (38 mm), M10 Thread	140044
Plunger, 2.0 in. (51 mm), M10 Thread	140043



Clutch Lock with Delrin Housing



Specifications

Weight limit: N/A

Product weight: 2.6 oz. (75 g)

Build Height: 1.12 in. (29 mm)

Material: Delrin

Product Features

- Tightening possible using locking mechanism
- Plunger sold separately
- One-way valve



Ordering Information


Description	Product Number
Delrin Clutch Lock Kit, without Plunger	140000

Replacement Parts

- A** 140002 – Delrin Housing, for Clutch Lock
- B** 140150 – Clutch Lock, with Air Expulsion
140116 – Latch Pin
- C** 140065 – Fabrication Kit, for Clutch Lock
140060 – Wrench
140061 – Clutch Housing Dummy
140062 – Distal Attachment Dummy
880488 – ¼-20 × 2 in. Socket Head Set Screw
881351 – Brass Nail

Clutch Lock Plungers

Description	Product Number
Plunger, 1.5 in. (38 mm), ¼-20 Thread	140041
Plunger, 2.0 in (51 mm), ¼-20 Thread	140040
Plunger, 1.5 in. (38 mm), M10 Thread	140044
Plunger, 2.0 in. (51 mm), M10 Thread	140043



Feet

Adapters

Valves

Locks

Sleeves & Liners

Knees

Cosmetic Solutions

Auxiliary Suspension

Pediatric

Clutch Lock with Cylindrical 4-Hole Housing



Specifications

Weight limit: 300 lbs. (136 kg)

Product weight: 4.2 oz. (120 g)

Build Height: 1.25 in. (32 mm)

Material: Delrin

Product Features

- One way valve
- Plunger sold separately



Ordering Information

Description	Product Number
4-Hole Cylindrical Clutch Lock Kit, without Plunger	140020

Replacement Parts


- A** 140023 – 4-Hole Cylindrical Housing, for Clutch Lock
 880282 – M6 × 1 × 20 mm Flat Head Socket Cap Screw
 882613 – M6 × 1 × 12 mm Socket Head Cap Screw
- B** 140150 – Clutch Lock, with Air Expulsion
 140116 – Latch Pin
- C** 140065 – Fabrication Kit, for Clutch Lock
 140060 – Wrench
 140061 – Clutch Housing Dummy
 140062 – Distal Attachment Dummy
 880488 – ¼-20 × 2 in. Socket Head Set Screw
 881351 – Brass Nail

Fabrication Dummy Kit (Cylindrical 4-hole Housing)

Description	Product Number
Clutch Lock Fabrication Kit	140065

Clutch Lock Plungers

Description	Product Number
Plunger, 1.5 in. (38 mm), ¼-20 Thread	140041
Plunger, 2.0 in. (51 mm), ¼-20 Thread	140040
Plunger, 1.5 in. (38 mm), M10 Thread	140044
Plunger, 2.0 in. (51 mm), M10 Thread	140043



Shuttle Vac



TT TF

Specifications

Weight limit: N/A
 Weight: 0.1 oz. (2.6 g)
 Build Height: 1.25 in. (31 mm)
 Material: Delrin

Product Features

- Retrofits to Fillauer Original Shuttle Lock attachment nut
- Uses water resistant duckbill valve design
- Adds versatility and clinical suspension options
- Allows patient evaluation of suction



Ordering Information

Description	Product Number
Shuttle Vac	125900

Feet

Adapters

Valves

Locks

Sleeves & Liners

Knees

Cosmetic Solutions

Auxiliary Suspension

Pediatric

Shuttle Lock Plungers



With M10 Metric Thread

Description	Product Number
Plunger, 1.0 in. (25 mm)	809722MM
Plunger, 1.5 in. (37 mm)	809725MM
Plunger, 2.0 in. (51 mm)	809727MM
Plunger, 2.5 in. (64 mm)	809720MM
Plunger, 3.0 in. (76 mm)	809721MM

With ¼-20 Thread

Description	Product Number
Plunger, 1.0 in. (25 mm)	809722
Plunger, 1.5 in. (37 mm)	809725
Plunger, 2.0 in. (51 mm)	809727
Extension Adapter, 1.0 in. (25 mm) for Plunger (Not Pictured)	809718

Gator Grip Plungers



With M10 Metric Thread

Description	Product Number
Flexible plunger, 1.5 in. (37 mm)	141010
Flexible plunger 2.0 in. (51 mm)	141011
Flexible plunger 2.5 in. (64 mm)	141012
Rigid plunger 1.0 in. (25 mm)	141015
Rigid plunger 1.5 in. (37 mm)	141016
Rigid plunger 2.0 in. (51 mm)	141017

Clutch Lock Plungers



With M10 Thread

Description	Product Number
Plunger, 1.5 in. (37 mm)	140044
Plunger, 2.0 in. (51 mm)	140043

With ¼-20 Thread

Description	Product Number
Plunger, 1.5 in. (37 mm)	140041
Plunger, 2.0 in. (51 mm)	140040

Lanyard Plunger



With M10 Metric Thread

Description	Product Number
Plunger 1.0 in. (25 mm)	809922MM
Plunger 1.5 in. (37 mm)	809925MM

With ¼-20 Thread

Description	Product Number
Plunger 1.0 in. (25 mm)	809922
Plunger 1.5 in. (37 mm)	809925
Plunger 2.0 in. (51 mm)	809927

Small Delrin Shuttle Lock Plungers



With M10 Metric Thread

Description	Product Number
Plunger, 1.0 in. (25 mm)	809826MM
Plunger, 1.5 in. (37 mm)	809827MM

With M6 Metric Thread

Description	Product Number
Plunger, 1.0 in. (25 mm)	809823MM
Plunger, 1.5 in. (37 mm)	809825MM

With ¼-20 Thread

Description	Product Number
Plunger, 1.0 in. (25 mm)	809826
Plunger, 1.5 in. (37 mm)	809827

Lock Device Plungers



Description	Product Number
Plunger, For Use with PDI Device (Special Order)	809768
Plunger, For Use with Iceross Lock Device	809770
Plunger, M10 Iceross® Style, For Use with Clutch Lock Only	809771

Latch Pins



Ordering Information

Description	Product Number
Latch Pin, 10-32 × 2 in. for Regular Shuttle Locks	809731
Latch Pin, 10-32 × 3.5 in. for Transfemoral	809728
Latch Pin, 6-32 × 2 in. for Small Shuttle Locks	809729
Latch Pin, 6-32 × 3.5 in. for Small Shuttle Locks	809734



Liner Lanyard



Product features

- Detachable cable system used to help seat a shuttle lock plunger



Ordering Information

Description	Product Number
BK Pylon Clamp, for Liner Lanyard	124171

Liner Lanyard kit

Description	Product Number
Liner Lanyard Kit, Plunger not included	125540

Replacement Parts

- 809917 – 16 in. Lanyard Cable
809918 – 2 in. Pull Handle

Lanyard Plungers

Description	Product Number
Plunger 1.0 in. (25 mm), with ¼-20 Thread	809922
Plunger 1.5 in. (37 mm), with ¼-20 Thread	809925
Plunger 2.0 in. (51 mm), with ¼-20 Thread	809927
Plunger 1.0 in. (25 mm), with M10 Thread	809922MM
Plunger 1.5 in. (37 mm), with M10 Thread	809925MM
Plunger 2.0 in. (51 mm), with M10 Thread	809927MM

Cord Lock



TT

TF

Specifications

Weight limit: N/A

Build Height: 1.5 in. (39 mm)

Product weight: 2.3 oz. (66 g)

Material: Delrin

Product Features

- Developed for use with liners with M10 thread
- Can be pulled down in the center without adding unnecessary distal load on the stump

Ordering Information

Description	Product Number
Cord Lock Universal, complete	731200001

REPLACEMENT PARTS

A	731200010 – Polyester cord
B	731200009 – Lock knob
C	731200014 – Distal hook for socket, M10
D	731200013 – Clam cleat
E	731200011 – PTFE tube
F	731200015 – Funnel and ring
G	731200018 – Funnel tool

Accessories

Description	Product Number
Dummy kit for cord lock universal	731200016
Extra silicone dummy for pyramid/ cord lock	731200017

