

Product Catalog August 2018



SIMPLE, EASY TO USE, HIGH PERFORMANCE



Available Through Cascade, Ottobock, PEL, and SPS

410-663-KISS (5477)

8 am-4:30 pm, Mon-Fri, Eastern Time

kiss-suspension.com

U.S. Patents 6793682, 7771487, 7883547, 7842099, 8075631, 8182546, 9492292, 9301859, EP 1620046, CA 2702441 and other U.S. and Worldwide Patents Pending. Copyright, KISS Technologies, LLC. KISS® is a registered trademark. All Rights Reserved. Made in USA.

Table of Contents

Page Product

1-2 KISS® Kits

- **Delrin KISS® Kit**
KS1/A, KS1/B, KS1/C
- **4-Hole Endoskeletal KISS® Kit**
KS2/A, KS2/B, KS2/C
- **4-Hole Angled Offset Base KISS® Kit**
KS4/A, KS4/B, KS4/C
- **Pediatric Delrin KISS® Kit**
PKS1/A, PKS1/B, PKS1/C
- **Pediatric 4-Hole Endoskeletal KISS® Kit**
PKS2/A, PKS2/B, PKS2/C

3 KISS® Replacement Kits

- **KISS® Replacement Kit w/Adhesive Ready Placard**
CMP31/A, CMP31/B, CMP31/C
- **KISS® Replacement Kit w/Velcro™ Sewn Placard**
CMP32/A, CMP32/B, CMP32/C
- **Pediatric KISS® Replacement Kit w/ Pediatric Adhesive Ready Placard**
PCMP31/A, PCMP31/B, PCMP31/C
- **Pediatric KISS® Replacement Kit w/ Pediatric Velcro™ Sewn Placard**
PCMP32/A, PCMP32/B, PCMP32/C

4 KISS® Fabrication

- **Fabrication Kit**
FN1/A, PFN1/A
- **Lamination Kit**
CMP14/A, PCMP14/A
- **KISS® Adhesive**
CMP11/A
- **Press Plate**
CMP10/A, PCMP10/A
- **KISS® Dummy**
CMP25/A

5-6 KISS® Distal Components

- **Distal Bases**
CMP1/A, CMP2/A, CMP44/A, PCMP1/A, PCMP2/A
- **Distal Straps**
CMP6/A, CMP6/B, CMP6/C,
PCMP6/A, PCMP6/B, PCMP6/C

Page Product

5-6 KISS® Distal Components

- **Distal Screws**
CMP8/A, PCMP8/A
- **Mufflers**
CMP9/A, PCMP9/A
- **Pediatric Threaded Inserts**
PCMP15/A, PCMP16/A

7-8 KISS® Proximal Components

- **Proximal Placards**
CMP5/A, CMP5/B, CMP5/C
PCMP5/A, PCMP5/B, PCMP5/C
CMP22/A, CMP22/B, CMP22/C
PCMP22/A, PCMP22/B, PCMP22/C
- **Proximal Straps**
CMP7/A, CMP7/B, CMP7/C
PCMP7/A, PCMP7/B, PCMP7/C
- **KISS® Anti Fray Sock Iron-Ons**
CMP17/A
- **Proximal Nuts and Screws**
CMP4/A, PCMP4/A

9 BK Componentry

- **KISS® One Way Expulsion Valves**
CMP19/A, CMP19/B, CMP19/C
- **43/64" Reduced Shank Drill Bit**
CMP20/A
- **KISS® Wrap Strap-R®**
CMP24/A, CMP24/B, CMP24/C, CMP24/D,
CMP24/E, CMP24/F, CMP24/G, CMP24/H
- **KISS® Soft Edge**
CMP33/A, CMP33/B

10 Additional KISS® Innovations

- **KISS® Superhero**
CMP26/A
- **KISS® Trainers**
CMP27/A
- **KISS® SuperSlider**
CMP28/A
- **KISS® SuperSlider / KISS® Superhero Combo**
CMP29/A
- **KISS® Grip**
CMP34/A

www.kiss-suspension.com • 410-663-KISS (5477) • KISS® Product Catalog August 2018

U.S. Patents 6793682, 7771487, 7883547, 7842099, 8075631, 8182546, 9492292, 9301859, EP 1620046, CA 2702441 and other U.S. and Worldwide Patents Pending.
Copyright, KISS Technologies, LLC. KISS® is a registered trademark. All Rights Reserved. Made in USA.

Delrin KISS® Kit

This KISS® Kit features a delrin distal base which can be laminated into a socket or vacuum formed in a flexible inner socket. It includes an aluminum tab to assist in fabrication. **Designed for a 1 socket, 2 liner application**



KS1/A
Beige



KS1/B
Black



KS1/C
Brown

Applications:

- Flexible Inner Socket
- Contracture Accommodation

Requirements:

- Covered roll on locking liner

Total Build Height: 3mm

Includes 8 Components:

- (1) CMP1/A – Delrin Distal Base
- (1) CMP5/A, B or C – Adhesive Ready Placard Set
- (1) CMP22/A, B or C – Velcro™ Placard Set
Includes Proximal Nuts and Screws
- (1) CMP7/A, B or C – Proximal Strap Set
- (1) CMP6/A, B or C – Distal Strap Set
- (1) CMP8/A – Distal Stainless Screw Set
- (1) CMP9/A – KISS® Muffler Set
- (2) Additional proximal nuts

4-Hole Endo KISS® Kit

This KISS® Kit features an aluminum 4-Hole endo distal base, which also serves as an attachment base for endoskeletal componentry. It also easily retrofits with PDI™ and Bulldog™ shuttle locks. It includes an aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (CMP14/A). **Designed for a 1 socket, 2 liner application.**



KS2/A
Beige



KS2/B
Black



KS2/C
Brown

Applications:

- Serves as an endoskeletal attachment base
- Retro fits with PDI™ and Bulldog™ locks

Requirements:

- Covered roll on locking liner.

Total Build Height: 3mm

Includes 8 Components

- (1) CMP2/A – 4-Hole Endo Distal Base
- (1) CMP5/A, B or C – Adhesive Ready Placard Set
- (1) CMP22/A, B or C – Velcro™ Placard Set
Includes Proximal Nuts and Screws
- (1) CMP7/A, B or C – Proximal Strap Set
- (1) CMP6/A, B or C – Distal Strap Set
- (1) CMP8/A – Distal Stainless Screw Set
- (1) CMP9/A – KISS® Muffler Set
- (2) Additional proximal nuts

4-Hole Angled Offset Base KISS® Kit

This KISS® Kit features an aluminum 4-Hole angled offset base that can be laminated into a socket with a single lamination. It is angled 12° and has a 4-hole pattern that is offset posteriorly .75 inches for enhanced alignment for hip flexor tightness. It includes an aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (CMP14/A). **Designed for a 1 socket, 2 liner application**



KS4/A
Beige



KS4/B
Black



KS4/C
Brown

Applications:

- Serves as an endoskeletal attachment base for a single wall socket
- Allows for enhanced alignment for hip flexor tightness

Requirements:

- Covered roll on locking liner

Total Build Height: 1cm

Includes 8 Components

- (1) CMP44/A – 4-Hole Angled Offset Base
- (1) CMP5/A, B or C – Adhesive Ready Placard Set
- (1) CMP22/A, B or C – Velcro™ Placard Set
Includes Proximal Nuts and Screws
- (1) CMP7/A, B or C – Proximal Strap Set
- (1) CMP6/A, B or C – Distal Strap Set
- (1) CMP8/A – Distal Stainless Screw Set
- (1) CMP9/A – KISS® Muffler Set
- (2) Additional proximal nuts

Pediatric KISS® Kits

Pediatric Delrin KISS® Kit

This Pediatric KISS® Kit features a delrin distal base which can be laminated into a socket or vacuum formed in a flexible inner socket. It includes an aluminum tab to assist in fabrication. **Designed for a 1 socket, 2 liner application**



**PKS1/A
Beige**



**PKS1/B
Black**



**PKS1/C
Brown**

Applications:

- Flexible Inner Socket
- Contracture Accommodation

Requirements:

- Covered roll on locking liner

Total Build Height: 2mm

Includes 8 Components:

- (1) PCMP1/A – Pediatric Delrin Distal Base
- (1) PCMP5/A, B or C – Pediatric Adhesive Ready Placard Set
- (1) PCMP22/A, B or C – Pediatric Velcro™ Placard Set
Includes Ped Proximal Nuts and Screws
- (1) PCMP7/A, B or C – Pediatric Proximal Strap Set
- (1) PCMP6/A, B or C – Pediatric Distal Strap Set
- (1) PCMP8/A – Pediatric Distal Stainless Screw Set
- (1) PCMP9/A – Pediatric KISS® Muffler Set
- (1) PCMP15/A – 10mm-6mm Distal Threaded Insert
- (2) Additional proximal nuts

Pediatric 4-Hole Endo KISS® Kit

This Pediatric KISS® Kit features an aluminum 4-Hole endo distal base, which also serves as an attachment base for endoskeletal componentry. It includes an aluminum tab to assist in fabrication. Lamination adaptor and spacer screws sold separately (PCMP14/A). **Designed for a 1 socket, 2 liner application**



**PKS2/A
Beige**



**PKS2/B
Black**



**PKS2/C
Brown**

Applications:

- Serves as an endoskeletal attachment base
- Retro fits with PDI™ and Bulldog™ locks

Requirements:

- Covered roll on locking liner.

Total Build Height: 2mm

Includes 8 Components:

- (1) PCMP2/A – Pediatric 4-Hole Endo Distal Base
- (1) PCMP5/A, B or C – Pediatric Adhesive Ready Placard Set
- (1) PCMP22/A, B or C – Pediatric Velcro™ Placard Set
Includes Pediatric Proximal Nuts and Screws
- (1) PCMP7/A, B or C – Pediatric Proximal Strap Set
- (1) PCMP6/A, B or C – Pediatric Distal Strap Set
- (1) PCMP8/A – Pediatric Distal Stainless Screw Set
- (1) PCMP9/A – Pediatric KISS® Muffler Set
- (1) PCMP15/A – 10mm-6mm Distal Threaded Insert
- (2) Additional proximal nuts



KISS® Replacement Kits

KISS® Replacement Kit w/ Adhesive Ready Placard



CMP31/A
Beige



CMP31/B
Black



CMP31/C
Brown

Each Kit Includes:

- (1) Distal Strap
- (1) Proximal Strap
- (1) Adhesive Ready Placard
- (1) Distal Stainless Screw
- (1) Proximal Nut and Screw

KISS® Replacement Kit w/ Velcro™ Sewn Placard



CMP32/A
Beige



CMP32/B
Black



CMP32/C
Brown

Each Kit Includes:

- (1) Distal Strap
- (1) Proximal Strap
- (1) Velcro™ Sewn Placard includes Nut and Screw
- (1) Distal Stainless Screw

Pediatric KISS® Replacement Kit w/ Adhesive Ready Placard



PCMP31/A
Beige



PCMP31/B
Black



PCMP31/C
Brown

Includes:

- (1) Pediatric Distal Strap
- (1) Pediatric Proximal Strap
- (1) Pediatric Adhesive Ready Placard
- (1) Pediatric Distal Stainless Screw
- (1) Pediatric Proximal Nut and Screw
- (1) Threaded Distal Insert, 10mm-6mm

Pediatric KISS® Replacement Kit w/ Velcro™ Sewn Placard



PCMP32/A
Beige



PCMP32/B
Black



PCMP32/C
Brown

Includes:

- (1) Pediatric Distal Strap
- (1) Pediatric Proximal Strap
- (1) Pediatric Velcro™ Sewn Placard Includes Pediatric Nut and Screw
- (1) Pediatric Distal Stainless Screw
- (1) Threaded Distal Insert, 10mm-6mm

KISS® Fabrication

Fabrication Kits

Adhesive Fabrication Kit



FN1/A

This Fabrication Kit includes components needed to attach a KISS® Placard using adhesive. This is not needed for attaching by Velcro™. Will last 20+ applications.

Includes:

- (2) CMP10/A – Press Plates
- (1) CMP11/A – KISS® Adhesive

Pediatric Adhesive Fabrication Kit



PFN1/A


This Pediatric Fabrication Kit includes components needed to attach a KISS® Pediatric Placard using adhesive. This is not needed for attaching by Velcro™. **Will last 20+ applications.**

Includes:

- (2) PCMP10/A-Pediatric Press Plates
- (1) CMP11/A-KISS® Adhesive

Lamination Kits

4-Hole Lamination Kit




CMP14/A

This reusable lamination kit allows for the easy lamination of the 4-Hole Endo Distal Base (CMP2/A) and the 4-Hole Angled Offset Distal base (CMP44/A).

Includes:

- 1 Lamination adaptor with spacer screws

Pediatric 4-Hole Lamination Kit



PCMP14/A

This reusable pediatric lamination kit allows for the easy lamination of the Pediatric 4-Hole Endo Distal Base (PCMP2/A).

Includes:

- (1) Pediatric Lamination adaptor with spacer screws

Liner Attachment

Press Plate



CMP10/A

This reusable plate is used to mount the KISS® Placard when attaching by adhesive. This is not needed for attaching by Velcro™.

Includes:

- (1) Press Plate

Pediatric Press Plate



PCMP10/A

This reusable Pediatric plate is used to mount the KISS® Pediatric Placard when attaching by adhesive. This is not needed for attaching by Velcro™.

Includes:

- (1) Pediatric Press Plate

KISS® Adhesive



CMP11/A

This specially formulated, flexible, ultra quick drying adhesive is used to attach both; the Proximal Placard when attaching by Adhesive, and the KISS® BK One Way Expulsion Valve.

Contains 20+ applications.

Includes:

- (2) Bottles

KISS® Dummy™



CMP25/A

Use the KISS® Proximal Dummy for clean, consistent proximal socket exit holes. It can be reused many times if care is taken when grinding.

Includes:

- (1) Proximal Exit Dummy

KISS® Distal Components

Distal Bases

Delrin Distal Base



CMP1/A

This base can be laminated into a socket or vacuum formed into a flexible inner socket. It is also an ideal solution to complex flexion contracture cases.

Build Height: 3mm
Diameter: 2¾"
Tapered Sides

Includes:
(1) Distal Base
(1) Fabrication Tab

4-Hole Endo Distal Base



CMP2/A

This base is constructed of aircraft grade aluminum and can be laminated into a socket. It also serves as an attachment base for endoskeletal componentry. This base will easily retrofit with PDI™ and Bulldog™ locks. **Lamination adaptor and spacer screws sold separately (CMP14/A).**

Build Height: 3mm
Diameter: 2¾"
Tapered Sides

Includes:
(1) Distal Base
(1) Fabrication Tab

4-Hole Angled Offset Base



CMP44/A

This base is constructed of aircraft grade aluminum and can be laminated into a socket with a single lamination. It is angled 12° and has a 4-hole pattern that is offset posteriorly .75 inches for enhanced alignment for hip flexor tightness. **Lamination adaptor and spacer screws sold separately (CMP14/A).**

Build Height: 1cm
Diameter: 2¾"
Tapered Sides

Includes:
(1) Distal Base
(1) Fabrication Tab

Pediatric Delrin Distal Base




PCMP1/A

This pediatric base can be laminated into a socket or vacuum formed into a flexible inner socket. It is also an ideal solution to complex flexion contracture cases.

Build Height: 2mm
Diameter: 2"
Tapered Sides

Includes:
(1) Pediatric Distal Base
(1) Fabrication Tab

Pediatric 4-Hole Endo Distal Base



PCMP2/A

This pediatric base is constructed of aircraft grade aluminum and can be laminated into a socket. It also serves as an attachment base for endoskeletal componentry. **Lamination adaptor and spacer screws sold separately (PCMP14/A).**

Build Height: 2mm
Diameter: 2"
Tapered Sides

Includes:
(1) Pediatric Distal Base
(1) Fabrication Tab

Distal Straps

Distal Strap Set

These straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes: (2) Distal Straps



CMP6/A
Beige



CMP6/B
Black



CMP6/C
Brown

Pediatric Distal Strap Set

These pediatric straps attach to the end of the locking liner. They secure the limb distally by feeding through the base and joining the proximal straps. The strap is easily fed through the distal base while donning.

Includes: (2) Pediatric Distal Straps



PCMP6/A
Beige



PCMP6/B
Black



PCMP6/C
Brown

KISS® Distal Components

Distal Screws

Distal Stainless Screw Set



CMP8/A

These screws secure the distal strap to the distal end of the locking liner.

These are designed for adult liners.

Includes:

(2) Distal Stainless Screws

Distal Threaded Insert

10mm-6mm Distal Threaded Insert



PCMP15/A

These are 10mm-6mm distal inserts to be used for low profile attachment. (Use Component PCMP16/A for a Distal Threaded Insert For Ossur™ Liners.)

Includes:

(2) Distal Inserts

Pediatric Distal Stainless Screw Set



PCMP8/A

Specially designed to work with Pediatric Lower and Upper Extremity locking liners, these screws secure the distal strap to the distal end of the locking liner.

Works with PCMP15/A, a 10mm-6mm threaded insert.

Includes:

(2) Pediatric Distal Stainless Screws

Low Profile Threaded Insert For Össur® Jr. Liners



PCMP16/A

These are distal inserts to be used for low profile attachment to Össur® Jr. Liners.

Includes:

(2) Low Profile Threaded Inserts

Mufflers

KISS® Muffler Set



CMP9/A

These mufflers eliminate unwanted air noise. They are sewn to the distal strap and fit snugly in the distal base.

Includes:

(2) Mufflers

Pediatric KISS® Muffler Set



PCMP9/A

The pediatric mufflers eliminate unwanted air noise. They are sewn to the distal strap and fit snugly in the distal base. Designed small for pediatric lower and upper extremity applications.

Includes:

(2) Pediatric Mufflers

KISS® Proximal Components

Proximal Placards

Adhesive Ready Placard Set

This ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:

(2) Adhesive Ready Placards



CMP5/A
Beige

CMP5/B
Black

CMP5/C
Brown

Velcro™ Sewn Placard Set

This placard attaches proximally to the liner using Velcro™. The proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:

(2) Velcro™ Sewn Placards, (2) Nuts and (2) Screws



CMP22/A
Beige

CMP22/B
Black

CMP22/C
Brown

Pediatric Adhesive Ready Placard Set

This pediatric ultra flexible placard attaches proximally to the liner by adhesive. It can be mounted using KISS® Adhesive. This placard is not removable after attachment.

Includes:

(2) Pediatric Adhesive Ready Placards



PCMP5/A
Beige

PCMP5/B
Black

PCMP5/C
Brown

Pediatric Velcro™ Sewn Placard Set

This pediatric placard attaches proximally to the liner using Velcro™. The pediatric proximal nut is sewn into each placard. This placard is removable after attachment.

Includes:

(2) Pediatric Velcro™ Sewn Placards, (2) Pediatric Nuts and (2) Pediatric Screws



PCMP22/A
Beige

PCMP22/B
Black

PCMP22/C
Brown

KISS® Proximal Components

Proximal Straps

Proximal Strap Set

This strap attaches to the KISS® Placard and exits the socket through a proximal aperture. The distal strap is fed up through the d-ring on this proximal strap.


Includes: (2) Proximal Straps



CMP7/A
Beige



CMP7/B
Black



CMP7/C
Brown

KISS® Anti Fray Sock Iron-ons

Anti Fray Sock Iron-ons

When using a sock with KISS® these iron-ons prevent fraying. Most socks are made with reinforced distal holes, but KISS® also requires a reinforced proximal hole. Securely reinforce any hole you cut in a sock, and eliminate fray.

Includes: (12) Anti Fray Iron-ons



CMP17/A

Pediatric Proximal Strap Set

This pediatric strap attaches to the pediatric KISS® Placard and exits the socket through a proximal aperture. The pediatric distal strap is fed up through the d-ring on this proximal strap.

Includes: (2) Pediatric Proximal Straps



PCMP7/A
Beige



PCMP7/B
Black



PCMP7/C
Brown

Proximal Nuts and Screws

Proximal Nut and Screw Set

This nut and screw set attaches the Proximal Strap to the Proximal Placard.

Includes: (2) Nuts, (2) Screws



CMP4/A

Pediatric Proximal Nut and Screw Set

This pediatric sized nut and screw set attaches the Pediatric Proximal Strap to the Pediatric Proximal Placard.


Includes: (2) Pediatric Nuts, (2) Pediatric Screws



PCMP4/A

Low Profile Expulsion Valves

One Way Expulsion Valve



This valve is incredibly low profile, ultra lightweight, and low cost.

- 1mm Build Height
- Less than 1/10 of an Oz.
- Integrated Filter
- Ultra Quiet

CMP19/A

Includes: (1) valve

**43/64" or 17mm
Hole Required**

10 Pack: CMP19/B, 30-Pack: CMP19/C

Expulsion Valve Installation

Reduced Shank Drill Bit



This drill bit can be used to install the KISS® one way expulsion valve, CMP19/A. To ensure proper fit, a 43/64" drill bit OR 17mm drill bit must be used to install the KISS® one way expulsion valve.

- **Size:** 43/64"
- **Reduced Shank**

Includes: (1) Drill Bit

CMP20/A

Suspension Sleeve Protection

KISS® Soft Edge

Superior Suspension Sleeve protection at the proximal socket edge.

Includes: (1) 60" Strip



**CMP33/A
Beige**



**CMP33/B
Black**

Removable Transtibial Linkage

KISS® WrapStrap-R®

Residue Free, Removable Linkage

- Prevents doffing inversion and donning dislodging
- Stops under sleeve air leakage
- Reliable and strong construction
- Low profile, fully adjustable
- Tapeless and Removable

Includes: (1) KISS® WrapStrap-R®



**CMP24/A
Beige**

10-Pack: CMP24/B



**CMP24/C
Gray**

10-Pack: CMP24/D



**CMP24/E
Black**

10-Pack: CMP24/F



**CMP24/G
Brown**

10-Pack: CMP24/H

Additional KISS® Innovations

KISS® Superhero™

This reusable test socket plate allows for easy removal of casting tape without damaging the plate.

Includes: (1) Test Socket Plate



CMP26/A

KISS® Grip

Special material used to convert non Velcro™ compatible covered locking liners to allow for use with proximal KISS® Velcro™ Placards.

Includes: (2) KISS® Grips



CMP34/A

KISS® SuperSlider™

This reusable slider allows Test Socket linear alignment changes in the transverse plane.

Includes: (1) Slider



CMP28/A

KISS® Trainers™

Dynamic Flexible Keel Stubby Feet

Includes: (1) Pair



CMP27/A

KISS® SuperSlider™/ KISS® Superhero™ Combo

Maximize Test Socket Dynamic alignment with this reusable combo. Add a pyramid or receiver to the slider for ultimate test socket slide and angular alignment.

Includes: (1) Slider, (1) Test Socket Plate



CMP29/A



www.kiss-suspension.com • 410-663-KISS (5477) • KISS® Product Catalog August 2018

U.S. Patents 6793682, 7771487, 7883547, 7842099, 8075631, 8182546, 9492292, 9301859, EP 1620046, CA 2702441 and other U.S. and Worldwide Patents Pending.
Copyright, KISS Technologies, LLC. KISS® is a registered trademark. All Rights Reserved. Made in USA.