



TiMed offers a complete line of modular prosthetic components fabricated from titanium, stainless steel, and aluminum, using the most progressive, state of the art manufacturing processes. Components are CE marked and tested to meet the ISO 10238 standards, ensuring durability, added safety, and a decreased liability factor. TiMed titanium components come with a 60 month warranty; stainless steel and aluminum components have a 24 month warranty.

Aluminum Components

Rated to 220 lbs		Rated to	Weight
AL-192	Aluminum 4 Hole Pyramid	220 lbs	63 g
AL-503	Aluminum Tube Clamp Adapter, 30mm	220 lbs	90 g
AL-509	Aluminum SACH Foot Adapter	220 lbs	60 g
AL-510	Aluminum 4 Ear Pyramid	220 lbs	63 g
ST-100	Unviersal Sliding/Rotating Pyramid Adapter	220 lbs	169 g

Stainless Steel Components

Rated to 220-300 lbs		Rated To	Weight
SS-192	Stainless Steel 4 Hole Pyramid	220 lbs	104 g
SS-194	Stainless Steel 4 Hole Base w/Threaded Pyramid Receiver	220 lbs	
SS-401	Stainless Steel Double Ended Adapter, 32mm	220 lbs	118 g
SS-402	Stainless Steel Double Ended Adapter, 45mm	220 lbs	144 g
SS-403	Stainless Steel Double Ended Adapter, 60mm	220 lbs	175 g
SS-404	Stainless Steel Double Ended Adapter, 75mm	220 lbs	201 g
SS-503	Stainless Steel Tube Clamp Adapter	275 lbs	127 g
SS-506	Stainless Steel Threaded Pyramid Receiver	275 lbs	67 g
SS-509	Stainless Steel SACH Foot Adapter	275 lbs	67 g
SS-510	Stainless Steel 4 Ear Pyramid	220 lbs	94 g
SS-511	Stainless Steel 3 Prong Threaded Base	300 lbs	113 g
SS-516	Stainless Steel 3 Prong Base w/Threaded Pyramid Receiver	220 lbs	181 g
SS-805	Stainless Steel Offset Tube Clamp Adapter	220 lbs	167 g

see next page for more.

TIMED PROSTHETIC COMPONENTS — Continued

Titanium Components

Rated to 300 lbs		Rated to	Weight
A-192	Titanium 4 Hole Pyramid	300 lbs	60 g
A-193	Titanium 4 Hole Pyramid Receiver	300 lbs	68 g
A-210	Titanium Double Pyramid	300 lbs	80 g
A-292	Titanium 4 Hole Base w/Diagonal Offset Pyramid	300 lbs	80 g
A-401	Titanium Double Ended Adapter, 32mm	300 lbs	80 g
A-402	Titanium Double Ended Adapter, 45mm	300 lbs	87 g
A-403	Titanium Double Ended Adapter, 60mm	300 lbs	112 g
A-404	Titanium Double Ended Adapter, 75mm	300 lbs	124 g
A-405	Titanium 30mm Tube w/Pyramid Receiver	300 lbs	123 g
A-415	Titanium Threaded Pyramid Receiver, Adjustable Length	300 lbs	164 g
A-425	Titanium Threaded Pyramid, Adjustable Length	300 lbs	140 g
A-502	Titanium 4 Hole Rotating Base	300 lbs	49 g
A-503	Titanium Tube Clamp Adapter, 30mm	300 lbs	79 g
A-504	Titanium Tube Clamp Adapter, 30mm w/Pyramid	300 lbs	68 g
A-505	Titanium Threaded Pyramid	300 lbs	49 g
A-506	Titanium Threaded Pyramid Receiver	300 lbs	45 g
A-507	Titanium Threaded Pyramid w/Center Hole	300 lbs	39 g
A-510	Titanium 4 Ear Pyramid w/Center Hole	300 lbs	56 g
A-511	Titanium 3 Prong Connector w/Flexible Prongs	300 lbs	50 g
A-515	Stainless Steel 3 Prong Base w/Titanium Threaded Pyramid	300 lbs	162 g
A-516	Stainless Steel 3 Prong Base w/Titanium Threaded Pyramid Receiver	300 lbs	159 g
A-525	Titanium 4 Hole Base w/Titanium Threaded Pyramid	300 lbs	98 g
A-526	Titanium 4 Hole Base w/Titanium Threaded Pyramid Receiver	300 lbs	94 g
A-535	Titanium 3 Prong Base w/Titanium Threaded Pyramid	300 lbs	
A-536	Titanium 3 Prong Base w/Titanium Threaded Pyramid Receiver	300 lbs	
A-609	Titanium SACH Foot Adapter without Flange	300 lbs	41 g
A-805	Titanium Offset Tube Clamp Adapter	300 lbs	99 g

Heavy Duty Components

Rated to 350-500 lbs		Rated to	Weight
A-509	Heavy Duty Titanium SACH Foot Adapter	350 lbs	50 g
A-610	Heavy Duty Titanium 4 Ear Pyramid	350 lbs	60 g
A-613	Heavy Duty Titanium Tube Clamp Adapter, 30mm	350 lbs	95 g
A-620	Heavy Duty Titanium Threaded 4 Hole Laminating Ring	350 lbs	34 g
A-692	Heavy Duty Titanium 4 Hole Pyramid	350 lbs	63 g
EH-509	Extra Heavy Duty Titanium SACH Foot Adapter	350 lbs	95 g
EH-610	Extra Heavy Duty Titanium 4 Ear Pyramid	500 lbs	156 g
EH-503	Extra Heavy Duty 34mm Tube Clamp Adapter	500 lbs	181 g
BK-500	BK-500 Kit — includes (1) EH-610, (1) A-500 Carbon Tube, (2) EH-503	500 lbs	

see next page for more.

TIMED PROSTHETIC COMPONENTS — Continued

22mm/25mm Components

		Rated to	Weight
P-203	Small Titanium Tube Clamp Adapter, 22mm	99 lbs	44 g
P-503	Small Titanium Tube Clamp Adapter, 25mm	176 lbs	49 g
P-505	Small Titanium Threaded Pyramid	176 lbs	36 g
P-509	Small Titanium SACH Foot Adapter	176 lbs	26 g
P-510	Small Titanium 4 Ear Pyramid w/Center Hole	176 lbs	35 g
P-511	Small Titanium 3 Prong Connector w/Flexible Prongs	176 lbs	45 g
P-513	Small Titanium Tube Clamp Adapter, 25mm w/30mm Pyramid Receiver	176 lbs	72 g
P-523	Small Titanium Tube Clamp Adapter, 22mm w/30mm Pyramid Receiver	99 lbs	65 g
A-400A	Aluminum Tube, 25mm	176 lbs	245 g
A-400B	Aluminum Tube, 22mm	99 lbs	111 g
PK-100	Pediatric Single Axis Knee, Aluminum	99 lbs	183 g

Tubes and Pylons

Rated to 220-500 lbs		Rated to	Weight
A-100	Aluminum Tube, 30mm (Blue)	300 lbs	233 g
A-200	Carbon Tube, 30mm	350 lbs	145 g
A-300	Aluminum Tube, 30mm x 36" (Silver)	220 lbs	526 g
A-500	Carbon Tube, 34mm	500 lbs	250 g
AL-512	Aluminum Pylon w/Aluminum Pyramid Receiver (Silver)	176 lbs	310 g
SS-512	Aluminum Pylon w/Stainless Steel Pyramid Receiver (Gold)	250 lbs	331 g
A-512	Aluminum Pylon w/Titanium Pyramid Receiver (Gold)	250 lbs	270 g
A-612	Aluminum Pylon w/Titanium Pyramid Receiver (Blue)	300 lbs	279 g
A-712	Aluminum Pylon w/Titanium Pyramid Receiver, Low Profile (Gold)	250 lbs	291 g

Knees

		Rated to	Weight
KN-001	Knee Extension Assist and Cable		
KN-100	Weight Activated Locking Knee, Titanium	220 lbs	371 g
KN-200	Weight Activated Locking Knee, Stainless Steel Forged	275 lbs	551 g
KN-200C	Weight Activated Locking Knee, Stainless Steel Cast	220 lbs	415 g
KN-300	Single Axis Knee w/Manual Lock, Aluminum	187 lbs	269 g
KN-400	4 Bar Knee, Aluminum	220 lbs	520 g
KN-400P	4 Bar Pneumatic Knee, Aluminum	220 lbs	650 g
PK-100	Pediatric Single Axis Knee, Aluminum	99 lbs	183 g

Locks

		Rated to	Weight
TS-325T	Titanium Shuttle Lock Kit, Male	300 lbs	197 g
TS-425T	Titanium Shuttle Lock Kit, Female	300 lbs	241 g
A-701	Titanium Shuttle Lock Body, 325	300 lbs	117 g
A-702	Titanium 4 Ear Threaded Base	300 lbs	63 g
A-703	Clutch Lock Pin for TS-325	300 lbs	21 g
A-706	Clutch Lock Pin for TS-425	300 lbs	13 g
A-705	Titanium Shuttle Lock Body, 425	300 lbs	171 g

Accessories

T-100	Titanium Foot Bolt, 10mm
T-200	Lamination Dummy for TS-325
T-300	Lamination Dummy for SS-511
T-400	Lamination Dummy for ST-100